


Slim Relay G2RV

Industrial Slim Relay Rated at 6 Amps

- Large plug-in terminals for reliable connection.
- LED indicator, clear case, and mechanical flag allows easy and immediate visual operation verification.
- Has a maximum switching voltage of 440 VAC.
- Slim outline to save space in high volume rack and PLC applications.
- Low power consumption for system energy savings.



Model Number Structure

Model Number Legend

G2RV-SL □□□□ - □
1 2 3 4 5

1. Auxiliary Type Designation

SL: Slim relay and socket combination

2. Wire Connection

7: Screw terminals
5: Push-in terminals

3. Relay LED

0: Without LED

4. Relay Pushbutton

0: Without pushbutton

5. Input Voltage

(Complete part numbers listed in the Relay and Socket Combinations Chart below)

Note: LED indicator standard feature on Socket.

Ordering Information

List of Models

Classification		Enclosure rating	Input voltage	Type of connection	Contact form
					SPDT
Plug-in terminals	General-purpose	Unsealed	AC/DC	Screw terminals	G2RV-SL700
				Push-in terminals	G2RV-SL500

Relay and Socket Combinations

Input voltage	Screw terminals	Push-in terminals
12 VDC	G2RV-SL700-DC12(DC11)	G2RV-SL500-DC12(DC11)
24 VDC	G2RV-SL700-DC24(DC21)	G2RV-SL500-DC24(DC21)
24 VAC/DC	G2RV-SL700-AC/DC24	G2RV-SL500-AC/DC24
48 VAC/DC	G2RV-SL700-AC/DC48	G2RV-SL500-AC/DC48
110 VAC	G2RV-SL700-AC110	G2RV-SL500-AC110
230 VAC	G2RV-SL700-AC230	G2RV-SL500-AC230



Note: Relay and Socket Combinations are cUL_{us} listed.

Specifications

■ Coil Ratings @ 23°C

Rated voltage	Rated current			Operate voltage	Release voltage	Power consumption		Input voltage
	AC		DC			% of rated voltage	AC (VA) Approx.	
	50 Hz	60 Hz						
12 VDC	---	---	27.2	80% max.	10% min.	---	300 mW	±10%
24 VDC	---	---	13.3			---	300 mW	
24 VAC/DC	21.1	22.5	13.0			0.5 VA	300 mW	
48 VAC/DC	8.5	9.0	5.2			0.4 VA	250 mW	
110 VAC	7.1	7.5	---			0.8 VA	---	
230 VAC	7.3	7.9	---			1.7 VA	---	

■ Contact Ratings

Number of poles	1 pole	
Load	Resistive load (cos φ = 1)	Inductive load (cos φ = 0.4, L/R = 7 ms)
Rated load	2A at 400 VAC; 6 A at 250 VAC; 6 A at 30 VDC	2 A at 250 VAC; 2 A at 30 VDC
Rated carry current	6 A	
Max. switching voltage	440 VAC, 125 VDC	
Max. switching current	6 A	
Max. switching power	1,500 VA 180 W	500 VA 60 W
Minimum permissible load	10 mA at 5 VDC : P level: $\lambda_{-60} = 0.1 \times 10^{-6}$ /operation	

■ Characteristics

Item	1 pole
Contact resistance	100 mΩ max.
Operate (set) time	20 ms max.
Release time	40 ms max.
Max. operating frequency	Mechanical: 18,000 operations/hr
	Electrical: 1,800 operations/hr (under rated load)
Insulation resistance	1,000 MΩ min. (at 500 VDC)
Dielectric strength	4,000 VAC, 50/60 Hz for 1 min between coil and contacts
	1,000 VAC, 50/60 Hz for 1 min between contacts of same polarity
Vibration resistance	Destruction: 10 to 55 Hz, 1.0 mm double amplitude
	Malfunction: 10 to 55 Hz, 1.0 mm double amplitude
Shock resistance	Destruction: 1,000 m/s ² (approx. 100G)
	Malfunction: 100 m/s ² (approx. 10G)
Life expectancy	Mechanical: 5,000,000 operations min.
	Electrical: 100,000 typical;
	NO 70,000 operations min.; NC 50,000 operations min.
Ambient temperature	Operating: -40°C to 55°C (with no icing or condensation)
Ambient humidity	Operating: 5% to 85%
Weight	Approx. 35 g
Overvoltage category	III
Pollution degree	2

Note: Data shown are of initial values.

Switching Timing

Model number	Operating time (typical)	Release time (typical)
G2RV-SL7□□/5□□ DC12	5 ~ 7 ms	5 ~ 8 ms
G2RV-SL7□□/5□□ DC24	5 ~ 7 ms	5 ~ 8 ms
G2RV-SL7□□/5□□ AC/DC24	5 ~ 7 ms	17 ~ 22ms
G2RV-SL7□□/5□□ AC/DC48	5 ~ 7 ms	22 ~ 30 ms
G2RV-SL7□□/5□□ AC110	12 ~ 15 ms	22 ~ 30 ms
G2RV-SL7□□/5□□ AC230	12 ~ 15 ms	22 ~ 30 ms

■ Approved Standards

UL 508 (File No. E41643)

Model	Contact form	Coil ratings	Contact ratings	Operations
G2RV-SL Series	SPDT	12 to 48 VDC 24 to 230 VAC	250 VAC 6 A (Resistive Load) 30 VDC 6 A (Resistive Load) 400 VAC 2 A (Resistive Load)	6,000

IEC/VDE (EN 61810)

Contact form	Coil ratings	Contact ratings	Operations
1 pole	12, 24 VDC 24, 48 VAC/DC 110, 230 VAC	250 VAC 6 A (Res.) 30 VDC 6 A (Res.) 400 VAC 2 A (Res.)	50,000 50,000 6,000

Accessories

■ PLC Interface (for G2RV-SL700 series only)

List of Models


Model number	Description	Connection
P2RVC-8-O-F	For output use	Flat cable



Specifications

Input	Rated voltage	30 VAC/VDC max.
	Current capacity	0.5 A per channel 2.0 A total current, power supply terminal
Characteristics	Ambient temperature	Operating: 0 to 55°C Storage: -20 to 85°C
	Overvoltage category	III
	Pollution degree	2

Electrical schematic P2RVC-8-O-F




■ Cables for PLC Interface P2RVC-8-O-F

P2RV-4-□□□C



Cable to connect CJ1 to 4 x P2RVC-8-O-F

List of Models

Model number	Cable length
P2RV-4-100C	1.0 m
P2RV-4-200C	2.0 m
P2RV-4-300C	3.0 m
P2RV-4-500C	5.0 m



4x10 pole IDC mounting to 4 x P2RVC-8-O-F



40 pole IDC mounting to Omron PLC CJ1-OD232

Technical data


Control line	AWG26/0.14 mm ² , tin-plated copper
Diameter cable	10.6 mm (one end splits into 4 sections: A, B, C, D)
Operating voltage	60 VDC
Continuous current per signal wire	0.5 A
Max. total current, 4 bytes, each	1.0 A
Test voltage	0.5 KV, 50 Hz, 1 min
Operating temperature range	-20°C to +50°C

P2RV-A□□□C


Cable, single sided 10 pole IDC connector, to connect to P2RVC-8-O-F

List of Models

Model number	Cable length
P2RV-A100C	1.0 m
P2RV-A200C	2.0 m
P2RV-A300C	3.0 m
P2RV-A500C	5.0 m



10 pole IDC mounting to P2RVC-8-O-F



Technical data

Control line	AWG26/0.14 mm ² , tin-plated copper
Diameter cable	6.8 mm
Operating voltage	60 VDC
Continuous current per signal wire	0.5 A
Max. total current	1.0 A
Test voltage	0.5 KV, 50 Hz, 1 min
Operating temperature range	-20°C to +50°C

■ Stand-Alone Relays for MRO and Reference

Model Number Legend

G2RV-□ - □□□ DC□
1 2 3 4 5

1. Number of Poles

1: 1 pole

2. Terminals

S: Plug-In

3. Relay LED

Blank: Without LED

4. Contact Material

Blank: AgSnIn

5. Rated Coil Voltage

11, 21, 48

List of Models

Model number	Replacement for
G2RV-1-S DC11	G2RV-SL7□□/5□□ DC12(DC11)
G2RV-1-S DC21	G2RV-SL7□□/5□□ DC24(DC21)
	G2RV-SL7□□/5□□ AC/DC24
G2RV-1-S DC48	G2RV-SL7□□/5□□ AC/DC48
	G2RV-SL7□□/5□□ AC110
	G2RV-SL7□□/5□□ AC230



Accessories (Order Separately)

■ Cross Bars

Model Number Legend

P2RVM-□□
1 2


1. Number of Poles

- 020: 2 poles
- 030: 3 poles
- 040: 4 poles
- 100: 10 poles
- 200: 20 poles

2. Color

- R:Red
- S:Blue
- B:Black

Model number	Poles	Color
P2RVM-020□	2	Red (R) Blue (S) Black (B)
P2RVM-030□	3	
P2RVM-040□	4	
P2RVM-100□	10	
P2RVM-200□	20	



■ Plastic Labels for G2RV Sockets

Model number	Quantity	Color
R99-15 for G2RV	5 sheets x 120 labels = 600 labels (minimum order)	White



■ Labels (Stickers) for G2RV Sockets

Model number	Quantity	Color
R99-16 for G2RV	10 sheets x 484 labels = 4,840 labels (minimum order)	White

■ Separating Plates

Model number	Quantity	Description
P2RV-S	50 plates (minimum order)	Provides isolation between adjacent relays to achieve 400 V isolation.




Dimensions


Note: All units are in millimeters unless otherwise indicated.

Complete Unit

G2RV-SL700




G2RV-SL500



■ **Single Relay**

G2RV-1-S



Installation

Tools

G2RV-SL700 series: Flat-blade screwdriver should be used for mounting and / or releasing cables.

G2RV-SL500 series: Flat-bade screwdriver should be used for mounting stranded wires without ferrules and / or releasing cables.


Applicable Screwdriver

- Flat-blade, Parallel-tip, 2.5 mm diameter (3.0 mm max.)

- Flat-blade, Parallel-tip



- Flat-blade, Flared-tip



Cannot be used.

Examples: FACOM AEF.2.5x75E (AEF. 3x75E)
 VESSEL No. 9900-(-)2.5x75 (No. 9900-(-)3x100)
 WAGO 210-119
 WIHA 260/2.5x40 (260/3x50)

*Chamfering the tip of the driver improves insertion when used as an exclusive tool.

Applicable Wires

Applicable Wire Sizes

G2RV-SL700 Series

Box Clamp Technology

Wire type	Applicable Wire Size	Stripping Length
Stranded without ferrules	0.5 - 2.5 mm ²	7 mm
Stranded with ferrules and plastic collar	0.5 - 2.5 mm ²	7 mm
Stranded with ferrules without plastic collar	0.5 - 2.5 mm ²	7 mm
Solid	0.5 - 4.0 mm ²	7 mm

G2RV-SL500 Series

Push-in Technology

Wire type	Applicable Wire Size	Stripping Length
Stranded without ferrules	0.5 - 2.5 mm ²	12 mm
Stranded with ferrules and plastic collar	0.5 - 2.5 mm ²	12 mm
Stranded with ferrules without plastic collar	0.5 - 2.5 mm ²	12 mm
Solid	0.5 - 4.0 mm ²	12 mm

Wiring

Use wires of the applicable sizes specified above. The length of the exposed conductor should be 7 mm for a G2RV-SL700 series, 12 mm for a G2RV-SL500 series.




Fig. 1 Exposed Conductor Length

Precautions

■ Precautions for Connection

- Do not move the screwdriver up, down, or from side to side while it is inserted in the hole. Doing so may cause damage to internal components (e.g., deformation of the clamp spring or cracks in the housing) or cause deterioration of insulation.
- Do not insert the screwdriver at an angle. Doing so may break the side of socket and result in a short-circuit.
- Do not insert two or more wires in the hole. Wires may come in contact with the spring causing a temperature rise or be subject to sparks. (There are two wiring holes for each terminal.)
- Insert the screwdriver along the hole wall as shown below.
- If lubricating liquid, such as oil, is present on the tip of screwdriver, the screwdriver may fall out resulting in injury to the operator.
- Insert the screwdriver into the bottom of the hole. It may not be possible to connect cables properly if the screwdriver is inserted incorrectly.


■ General Precautions

- Do not use the product if it has been dropped on the ground. Dropping the product may adversely affect performance.
- Confirm that the socket is securely attached to the mounting track before wiring. If the socket is mounted insecurely it may fall and injure the operator.
- Insure that the socket is not charged during wiring and maintenance. Not doing so may result in electric shock.
- Do not pour water or cleansing agents on the product. Doing so may result in electric shock.
- Do not use the socket in locations subject to solvents or alkaline chemicals.
- Do not use the socket in locations subject to ultraviolet light (e.g., direct sunlight). Doing so may result in markings fading, rust, corrosion, or resin deterioration.
- Do not dispose of the product in fire.


■ Removing from Mounting Rail

To remove the socket from the mounting rail, insert the tip of screwdriver in the fixture rail, and move it in the direction shown below.


■ Wiring Procedure for G2RV-SL500 series



Wire insertion




Insert the exposed conductor into the connection hole.




No other tools are required.

Note: In case of wiring stranded wires without ferrules screwdriver should be inserted before inserting the wire. Screwdriver should be removed after fully insertion of the wire.


Wire removal



Insert the specified screwdriver into the release hole.



Removing wire.



Removing screwdriver.

Terms and Conditions of Sale

1. **Offer; Acceptance.** These terms and conditions (these "Terms") are deemed part of all quotes, agreements, purchase orders, acknowledgments, price lists, catalogs, manuals, brochures and other documents, whether electronic or in writing, relating to the sale of products or services (collectively, the "Products") by Omron Electronics LLC and its subsidiary companies ("Omron"). Omron objects to any terms or conditions proposed in Buyer's purchase order or other documents which are inconsistent with, or in addition to, these Terms.
2. **Prices; Payment Terms.** All prices stated are current, subject to change without notice by Omron. Omron reserves the right to increase or decrease prices on any unshipped portions of outstanding orders. Payments for Products are due net 30 days unless otherwise stated in the invoice.
3. **Discounts.** Cash discounts, if any, will apply only on the net amount of invoices sent to Buyer after deducting transportation charges, taxes and duties, and will be allowed only if (i) the invoice is paid according to Omron's payment terms and (ii) Buyer has no past due amounts.
4. **Interest.** Omron, at its option, may charge Buyer 1-1/2% interest per month or the maximum legal rate, whichever is less, on any balance not paid within the stated terms.
5. **Orders.** Omron will accept no order less than \$200 net billing.
6. **Governmental Approvals.** Buyer shall be responsible for, and shall bear all costs involved in, obtaining any government approvals required for the importation or sale of the Products.
7. **Taxes.** All taxes, duties and other governmental charges (other than general real property and income taxes), including any interest or penalties thereon, imposed directly or indirectly on Omron or required to be collected directly or indirectly by Omron for the manufacture, production, sale, delivery, importation, consumption or use of the Products sold hereunder (including customs duties and sales, excise, use, turnover and license taxes) shall be charged to and remitted by Buyer to Omron.
8. **Financial.** If the financial position of Buyer at any time becomes unsatisfactory to Omron, Omron reserves the right to stop shipments or require satisfactory security or payment in advance. If Buyer fails to make payment or otherwise comply with these Terms or any related agreement, Omron may (without liability and in addition to other remedies) cancel any unshipped portion of Products sold hereunder and stop any Products in transit until Buyer pays all amounts, including amounts payable hereunder, whether or not then due, which are owing to it by Buyer. Buyer shall in any event remain liable for all unpaid accounts.
9. **Cancellation; Etc.** Orders are not subject to rescheduling or cancellation unless Buyer indemnifies Omron against all related costs or expenses.
10. **Force Majeure.** Omron shall not be liable for any delay or failure in delivery resulting from causes beyond its control, including earthquakes, fires, floods, strikes or other labor disputes, shortage of labor or materials, accidents to machinery, acts of sabotage, riots, delay in or lack of transportation or the requirements of any government authority.
11. **Shipping; Delivery.** Unless otherwise expressly agreed in writing by Omron:
 - a. Shipments shall be by a carrier selected by Omron; Omron will not drop ship except in "break down" situations.
 - b. Such carrier shall act as the agent of Buyer and delivery to such carrier shall constitute delivery to Buyer;
 - c. All sales and shipments of Products shall be FOB shipping point (unless otherwise stated in writing by Omron), at which point title and risk of loss shall pass from Omron to Buyer; provided that Omron shall retain a security interest in the Products until the full purchase price is paid;
 - d. Delivery and shipping dates are estimates only; and
 - e. Omron will package Products as it deems proper for protection against normal handling and extra charges apply to special conditions.
12. **Claims.** Any claim by Buyer against Omron for shortage or damage to the Products occurring before delivery to the carrier must be presented in writing to Omron within 30 days of receipt of shipment and include the original transportation bill signed by the carrier noting that the carrier received the Products from Omron in the condition claimed.
13. **Warranties.** (a) **Exclusive Warranty.** Omron's exclusive warranty is that the Products will be free from defects in materials and workmanship for a period of twelve months from the date of sale by Omron (or such other period expressed in writing by Omron). Omron disclaims all other warranties, express or implied. (b) **Limitations.** OMRON MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, ABOUT NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THE PRODUCTS. BUYER ACKNOWLEDGES THAT IT ALONE HAS DETERMINED THAT THE PRODUCTS WILL SUITABLY MEET THE REQUIREMENTS OF THEIR INTENDED USE. Omron further disclaims all warranties and responsibility of any type for claims or expenses based on infringement by the Products or otherwise of any intellectual property right. (c) **Buyer Remedy.** Omron's sole obligation hereunder shall be, at Omron's election, to (i) replace (in the form originally shipped with Buyer responsible for labor charges for removal or replacement thereof) the non-complying Product, (ii) repair the non-complying Product, or (iii) repay or credit Buyer an amount equal to the purchase price of the non-complying Product; provided that in no event shall Omron be responsible for warranty, repair, indemnity or any other claims or expenses regarding the Products unless Omron's analysis confirms that the Products were properly handled, stored, installed and maintained and not subject to contamination, abuse, misuse or inappropriate modification. Return of any Products by Buyer must be approved in writing by Omron before shipment. Omron Companies shall not be liable for the suitability or unsuitability or the results from the use of Products in combination with any electrical or electronic components, circuits, system assemblies or any other materials or substances or environments. Any advice, recommendations or information given orally or in writing, are not to be construed as an amendment or addition to the above warranty. See <http://www.omron247.com> or contact your Omron representative for published information.
14. **Limitation on Liability; Etc.** OMRON COMPANIES SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY CONNECTED WITH THE PRODUCTS, WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, NEGLIGENCE OR STRICT LIABILITY. Further, in no event shall liability of Omron Companies exceed the individual price of the Product on which liability is asserted.
15. **Indemnities.** Buyer shall indemnify and hold harmless Omron Companies and their employees from and against all liabilities, losses, claims, costs and expenses (including attorney's fees and expenses) related to any claim, investigation, litigation or proceeding (whether or not Omron is a party) which arises or is alleged to arise from Buyer's acts or omissions under these Terms or in any way with respect to the Products. Without limiting the foregoing, Buyer (at its own expense) shall indemnify and hold harmless Omron and defend or settle any action brought against such Companies to the extent based on a claim that any Product made to Buyer specifications infringed intellectual property rights of another party.
16. **Property; Confidentiality.** Any intellectual property in the Products is the exclusive property of Omron Companies and Buyer shall not attempt to duplicate it in any way without the written permission of Omron. Notwithstanding any charges to Buyer for engineering or tooling, all engineering and tooling shall remain the exclusive property of Omron. All information and materials supplied by Omron to Buyer relating to the Products are confidential and proprietary, and Buyer shall limit distribution thereof to its trusted employees and strictly prevent disclosure to any third party.
17. **Export Controls.** Buyer shall comply with all applicable laws, regulations and licenses regarding (i) export of products or information; (ii) sale of products to "forbidden" or other proscribed persons; and (iii) disclosure to non-citizens of regulated technology or information.
18. **Miscellaneous.** (a) **Waiver.** No failure or delay by Omron in exercising any right and no course of dealing between Buyer and Omron shall operate as a waiver of rights by Omron. (b) **Assignment.** Buyer may not assign its rights hereunder without Omron's written consent. (c) **Law.** These Terms are governed by the law of the jurisdiction of the home office of the Omron company from which Buyer is purchasing the Products (without regard to conflict of law principles). (d) **Amendment.** These Terms constitute the entire agreement between Buyer and Omron relating to the Products, and no provision may be changed or waived unless in writing signed by the parties. (e) **Severability.** If any provision hereof is rendered ineffective or invalid, such provision shall not invalidate any other provision. (f) **Setoff.** Buyer shall have no right to set off any amounts against the amount owing in respect of this invoice. (g) **Definitions.** As used herein, "including" means "including without limitation"; and "Omron Companies" (or similar words) mean Omron Corporation and any direct or indirect subsidiary or affiliate thereof.

Certain Precautions on Specifications and Use

1. **Suitability of Use.** Omron Companies shall not be responsible for conformity with any standards, codes or regulations which apply to the combination of the Product in the Buyer's application or use of the Product. At Buyer's request, Omron will provide applicable third party certification documents identifying ratings and limitations of use which apply to the Product. This information by itself is not sufficient for a complete determination of the suitability of the Product in combination with the end product, machine, system, or other application or use. Buyer shall be solely responsible for determining appropriateness of the particular Product with respect to Buyer's application, product or system. Buyer shall take application responsibility in all cases but the following is a non-exhaustive list of applications for which particular attention must be given:
 - (i) Outdoor use, uses involving potential chemical contamination or electrical interference, or conditions or uses not described in this document.
 - (ii) Use in consumer products or any use in significant quantities.
 - (iii) Energy control systems, combustion systems, railroad systems, aviation systems, medical equipment, amusement machines, vehicles, safety equipment, and installations subject to separate industry or government regulations.
 - (iv) Systems, machines and equipment that could present a risk to life or property. Please know and observe all prohibitions of use applicable to this Product.
 NEVER USE THE PRODUCT FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY OR IN LARGE QUANTITIES WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON'S PRODUCT IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.
2. **Programmable Products.** Omron Companies shall not be responsible for the user's programming of a programmable Product, or any consequence thereof.
3. **Performance Data.** Data presented in Omron Company websites, catalogs and other materials is provided as a guide for the user in determining suitability and does not constitute a warranty. It may represent the result of Omron's test conditions, and the user must correlate it to actual application requirements. Actual performance is subject to the Omron's Warranty and Limitations of Liability.
4. **Change in Specifications.** Product specifications and accessories may be changed at any time based on improvements and other reasons. It is our practice to change part numbers when published ratings or features are changed, or when significant construction changes are made. However, some specifications of the Product may be changed without any notice. When in doubt, special part numbers may be assigned to fix or establish key specifications for your application. Please consult with your Omron's representative at any time to confirm actual specifications of purchased Product.
5. **Errors and Omissions.** Information presented by Omron Companies has been checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical or proofreading errors or omissions.

г.Минск www.fotorele.net www.tiristor.by email minsk17@tut.by тел.+375447584780

OMRON

Automation...simple...powerful.

OMRON ELECTRONICS LLC • THE AMERICAS HEADQUARTERS

Schaumburg, IL USA • 847.843.7900 • 800.556.6766 • www.omron247.com

OMRON CANADA, INC. • HEAD OFFICE

Toronto, ON, Canada • 416.286.6465 • 866.986.6766 • www.omron.ca

OMRON ELETRÔNICA DO BRASIL LTDA • HEAD OFFICE

São Paulo, SP, Brasil • 55.11.2101.6300 • www.omron.com.br

OMRON ELECTRONICS MEXICO SA DE CV • HEAD OFFICE

Apodaca, N.L. • 52.811.156.99.10 • mela@omron.com

J01C-E-01a

OMRON ARGENTINA • SALES OFFICE

Cono Sur • 54.11.4787.1129

OMRON CHILE • SALES OFFICE

Santiago 56.2206.4592

OTHER OMRON LATIN AMERICA SALES

56.2206.4592

Note: Specifications are subject to change.

© 2008 Omron Electronics LLC

Printed in U.S.A.

Реле Omron G2RV, Минск Т.80447584780


www.fotorele.net www.tiristor.by радиодетали, электронные компоненты
email minsk17@tut.by tel.+375 29 758 47 80 МТС

омрон, Omron, каталог, описание, технические, характеристики, datasheet, параметры, маркировка, габариты, фото, даташит, спецификация, сайт, Беларусь, Минск, продажа, купить, аналог, замена, G2RV, G2RV-1



G2RV-1-S DC21, Реле

Реле Omron G2RV



OMRON G2RV - надежное реле которое позволяет снизить стоимость системы управления

Надежные и очень компактные реле G2RV шириной 6 мм позволяют существенно сэкономить пространство внутри шкафа. Реле имеют светодиодную и механическую индикацию состояния. Корпус реле выполнен из прозрачного пластика, что так же позволяет видеть состояние реле. В линейке промежуточных реле G2RG имеются модели с позолоченными контактами. Такие реле позволяют коммутировать аналоговые сигналы без потерь. При замене реле жесткие контактные выводы не гнутся. Они остаются прямыми и ровными. Это обеспечивает надежное электрическое соединение между монтажной колодкой и реле. Реле идеально стыкуются программируемыми логическими контроллерами. Они отвечают самым разнообразным требованиям конструкторов и разработчиков, а так же производителей шкафов управления. Малый размер корпуса реле G2RV позволяет в итоге заметно снизить размер самого щита управления, что безусловно в итоге влияет на уменьшение стоимости изделия.

ОСОБЕННОСТИ:

- ▶ Ширина корпуса 6 мм
- ▶ Несгибаемые выводы
- ▶ Для простого подключения цепей безвинтовые клеммы типа «push-in» и дополнительные принадлежности

Информация для заказа реле Omron G2RV

G2RV-1-S DC11	Промежуточное реле Omron G2RV1SDC11BYOMB номинальный ток 6 А контакты, for replacement in G2RV-SL*00 12DC
G2RV-1-S DC21	Промежуточное реле Omron G2RV1SDC21BYOMB номинальный ток 6 А контакты, для замены в G2RV-SL*00 24 VDC or 24 VAC/DC

Заказ Минск тел.+375447584780 мтс email minsk17@tut.by www.fotorele.net

G2RV-1-S DC48	Промежуточное реле Omron G2RV1SDC48BYOMB номинальный ток 6 А контакты, для замены в G2RV-SL*00 48 VAC/DC, 110 VAC, 230 VAC
G2RV-SL500 AC110	Промежуточное реле Omron G2RVSL500AC110BYOMB номинальный ток 6А, безвинтовые клеммы, катушка 110 VAC
G2RV-SL500 AC230	Промежуточное реле Omron G2RVSL500AC230BYOMB номинальный ток 6А, безвинтовые клеммы, катушка 230 VAC
G2RV-SL500 AC/DC24	Промежуточное реле Omron G2RVSL500ACDC24BYOMB номинальный ток 6А, безвинтовые клеммы, катушка 24 VAC/DC
G2RV-SL500 AC/DC48	Промежуточное реле Omron G2RVSL500ACDC48BYOMB номинальный ток 6А, безвинтовые клеммы, катушка 48 VAC/DC
G2RV-SL500 DC12	Промежуточное реле Omron G2RVSL500DC12BYOMB номинальный ток 6А, безвинтовые клеммы, катушка 12 VDC
G2RV-SL500 DC24	Промежуточное реле Omron G2RVSL500DC24BYOMB номинальный ток 6А, безвинтовые клеммы, катушка 24 VDC
G2RV-SL700 AC110	Промежуточное реле Omron G2RVSL700AC110BYOMB номинальный ток 6А, винтовые клеммы, катушка 110 VAC
G2RV-SL700 AC230	Промежуточное реле Omron G2RVSL700AC230BYOMB номинальный ток 6А, винтовые клеммы, катушка 230 VAC
G2RV-SL700 AC/DC24	Промежуточное реле Omron G2RVSL700ACDC24BYOMB номинальный ток 6А, винтовые клеммы, катушка 24 VAC/DC
G2RV-SL700 AC/DC48	Промежуточное реле Omron G2RVSL700ACDC48BYOMB номинальный ток 6А, винтовые клеммы, катушка 48 VAC/DC
G2RV-SL700 DC12	Промежуточное реле Omron G2RVSL700DC12BYOMB номинальный ток 6А, винтовые клеммы, катушка 12 VDC
G2RV-SL700 DC24	Промежуточное реле Omron G2RVSL700DC24BYOMB номинальный ток 6А, винтовые клеммы, катушка 24 VDC

Информация для заказа реле Omron G2RV с позолоченными контактами

Код заказа	Описание	Код
G2RV-SL500-AP AC/DC24	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, безвинтовые клеммы, управление 24 V AC/DC	374441
G2RV-SL500-AP AC/DC48	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, безвинтовые клеммы, управление 48 V AC/DC	374442
G2RV-SL500-AP AC110	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, безвинтовые клеммы, управление 110 V AC	374448
G2RV-SL500-AP AC230	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, безвинтовые клеммы, управление 230 V AC	374443
G2RV-SL500-AP DC12	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, безвинтовые клеммы, управление 12 V DC	374439
G2RV-SL500-AP DC24	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, безвинтовые клеммы, управление 24 V DC	374440
G2RV-SL700-AP AC/DC24	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, винтовые клеммы, управление 24 V AC/DC	374436
G2RV-SL700-AP AC/DC48	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, винтовые клеммы, управление 48 V AC/DC	374437

G2RV-SL700-AP AC110	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, винтовые клеммы, управление 110 V AC	374447
G2RV-SL700-AP AC230	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, винтовые клеммы, управление 230 V AC	374438
G2RV-SL700-AP DC12	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, винтовые клеммы, управление 12 V DC	374434
G2RV-SL700-AP DC24	Интерфейсное реле Omron G2RV шириной 6 мм , входное, с цоколем, винтовые клеммы, управление 24 V DC	374435

Аксессуары для реле Omron G2RV

P2RVC8OF	P2RVC-8-O-F	Релейный блок, 8 реле G2RV-SL700, соединение с ПЛК
P2RVM020B	P2RVM-020B	Мостик д/реле G2RV, на 2 группы, черный
P2RVM020R	P2RVM-020R	соединительные мостики для цоколя реле G2RV, красный, 2 контакта
P2RVM020S	P2RVM-020S	соединительные мостики для цоколя реле G2RV, синий, 2 контакта
P2RVM030B	P2RVM-030B	соединительные мостики для цоколя реле G2RV, черный, 3 контакта
P2RVM030R	P2RVM-030R	соединительные мостики для цоколя реле G2RV, красный, 3 контакта
P2RVM030S	P2RVM-030S	соединительные мостики для цоколя реле G2RV, синий, 3 контакта
P2RVM040B	P2RVM-040B	соединительные мостики для цоколя реле G2RV, черный, 4 контакта
P2RVM040R	P2RVM-040R	соединительные мостики для цоколя реле G2RV, красный, 4 контакта
P2RVM040S	P2RVM-040S	соединительные мостики для цоколя реле G2RV, синий, 4 контакта
P2RVM100B	P2RVM-100B	Мостик д/реле G2RV, на 10 групп, черный
P2RVM100R	P2RVM-100R	Мостик-перемычка, 10 конт.гр., красный
P2RVM100S	P2RVM-100S	Мостик-перемычка
P2RVM200B	P2RVM-200B	Мостик-перемычка, 20 конт.гр., черный
P2RVM200R	P2RVM-200R	Мостик-перемычка, 20 конт.гр., красный
P2RVM200S	P2RVM-200S	Мостик-перемычка, 20 конт.гр., синий
P2RVS	P2RV-S	Разделительная пластина, на DIN, для реле G2RV/G3RV

компонент описание

g2rv-1-s dc21, реле

g2rv-1-s dc21

g2rv-1-s 21vdc

g2rv-1-s dc21 цена

g2rv-1-3-s

g2rv-1-s 48vdc

g2rv-1-s

g2rv-1-5

g2rv-1-s dc21 купить

g2rv-1-s 21v 6a ds

реле g2rv-sl500-24vdc omron

g2rv-1-s dc21, omron: реле: электромеханическое, икат.: 21в, ас-dc: dc, иком:6а, udc:30в omron, реле: электромеханическое, икат.: 21в, ас-dc: dc, иком:6а, udc:30в

g2rv-1-s-11vdc, omron: реле:электромагнитное, spdt, уобмотки:11вdc, 6а/250вас, 6а/30вdc omron, реле:электромагнитное, spdt, уобмотки:11вdc, 6а/250вас, 6а/30вdc

g2rv-1-s-21vdc, omron: реле: электромагнитное, spdt, уобмотки:21вdc, 6а/250вас, 6а/30вdc omron, реле: электромагнитное, spdt, уобмотки:21вdc, 6а/250вас, 6а/30вdc

g2rv-1-s-48vdc, omron: реле:электромагнитное, spdt, уобмотки:48вdc, 6а/250вас, 6а/30вdc omron, реле:электромагнитное, spdt, уобмотки:48вdc, 6а/250вас, 6а/30вdc

g2rv-sl500 dc24, omron: промышленная автоматика g2rvom omron, промышленная автоматика g2rvom

g2rv-sl500 dc24, omron: тонкое and#40;6ммand#41; реле с цоколем, ток 6а, безвинтовые клеммы, катушка 24 vdc omron, тонкое and#40;6ммand#41; реле с цоколем, ток 6а, безвинтовые клеммы, катушка 24 vdc

g2rv-sl700 ac/dc24, omron: промышленная автоматика g2rvom omron, промышленная автоматика g2rvom

g2rv-sl700 ac/dc24, omron: тонкое and#40;6ммand#41; реле с цоколем, ток 6а, винтовые клеммы, катушка 24 vac/dc omron, тонкое and#40;6ммand#41; реле с цоколем, ток 6а, винтовые клеммы, катушка 24 vac/dc

g2rv-sl700 ac230, omron: реле: электромеханическое, икатушки: 230 в, ас-dc: ac, икомм: 6 а, udc: 30 в, uac: 250 в omron, реле: электромеханическое, икатушки: 230 в, ас-dc: ac, икомм: 6 а, udc: 30 в, uac: 250 в

g2rv-sl700 dc24, omron: реле: электромеханическое, икатушки: 24 в, ас-dc: dc, рупrand#40;maxand#41;: 300 мвт, икомм: 6 а, udc: 30 в omron, реле: электромеханическое, икатушки: 24 в, ас-dc: dc, рупrand#40;maxand#41;: 300 мвт, икомм: 6 а, udc: 30 в

g2rvsl500110ас, omron: реле:интерфейсное, spdt, уобмотки:110вас, 6а, 6а/250вас, 6а/30вdc omron, реле:интерфейсное, spdt, уобмотки:110вас, 6а, 6а/250вас, 6а/30вdc

g2rvsl50012dc, omron: реле:интерфейсное, spdt, уобмотки:12вdc, 6а, 6а/250вас, 6а/30вdc omron, реле:интерфейсное, spdt, уобмотки:12вdc, 6а, 6а/250вас, 6а/30вdc

g2rvsl500230ас, omron: реле:интерфейсное, spdt, уобмотки:230вас, 6а, 6а/250вас, 6а/30вdc omron, реле:интерфейсное, spdt, уобмотки:230вас, 6а, 6а/250вас, 6а/30вdc

g2rvsl50024асdc, omron: реле:интерфейсное, spdt, уобмотки:24вdc, уобмотки:24вас, 6а omron, реле:интерфейсное, spdt, уобмотки:24вdc, уобмотки:24вас, 6а

g2rvsl50024dc, omron: реле:интерфейсное, spdt, уобмотки:24вdc, 6а, 6а/250вас, 6а/30вdc omron, реле:интерфейсное, spdt, уобмотки:24вdc, 6а, 6а/250вас, 6а/30вdc

g2rvsl50048acdc, omron: реле:интерфейсное, spdt, уобмотки:48вdc, уобмотки:48вас, 6а omron,
реле:интерфейсное, spdt, уобмотки:48вdc, уобмотки:48вас, 6а

g2rvsl501acdc24, omron: реле:интерфейсное, spdt, уобмотки:24вdc, уобмотки:24вас, 6а omron,
реле:интерфейсное, spdt, уобмотки:24вdc, уобмотки:24вас, 6а

g2rvsl700110ас, omron: реле:интерфейсное, spdt, уобмотки:110вас, 6а, 6а/250вас, 6а/30вdc omron,
реле:интерфейсное, spdt, уобмотки:110вас, 6а, 6а/250вас, 6а/30вdc

g2rvsl70012dc, omron: реле:интерфейсное, spdt, уобмотки:12вdc, 6а, 6а/250вас, 6а/30вdc omron,
реле:интерфейсное, spdt, уобмотки:12вdc, 6а, 6а/250вас, 6а/30вdc

g2rvsl700230ас, omron: реле:интерфейсное, spdt, уобмотки:230вас, 6а, 6а/250вас, 6а/30вdc omron,
реле:интерфейсное, spdt, уобмотки:230вас, 6а, 6а/250вас, 6а/30вdc

g2rvsl70024acdc, omron: реле:интерфейсное, spdt, уобмотки:24вdc, уобмотки:24вас, 6а omron,
реле:интерфейсное, spdt, уобмотки:24вdc, уобмотки:24вас, 6а

g2rvsl70024dc, omron: реле:интерфейсное, spdt, уобмотки:24вdc, 6а, 6а/250вас, 6а/30вdc omron,
реле:интерфейсное, spdt, уобмотки:24вdc, 6а, 6а/250вас, 6а/30вdc

g2rvsl70048acdc, omron: реле:интерфейсное, spdt, уобмотки:48вdc, уобмотки:48вас, 6а omron,
реле:интерфейсное, spdt, уобмотки:48вdc, уобмотки:48вас, 6а

g2rvsl701acdc24, omron: реле:интерфейсное, spdt, уобмотки:230вас, 6а, 6а/250вас, 6а/30вdc omron,
реле:интерфейсное, spdt, уобмотки:230вас, 6а, 6а/250вас, 6а/30вdc

stg 2-rv/l, phoenix: корпус соединителя phoenix, корпус соединителя

stg 2-rv/q, phoenix: корпус соединителя phoenix, корпус соединителя

g2rv-1-s-dc11 omron industrial automation, relay type:general purpose; coil voltage vdc nom:12v; contact current
max:6a; contact voltage ac nom:250v; contact voltage dc nom:30v;

g2rv-sl700-ac110 omron industrial automation, relay type:general purpose; coil voltage vac nom:110v; contact
current max:6a; contact voltage ac nom:250v; contact voltage dc nom:30v; са

g2rv-1 s dc11 byomb (36-901-33) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-1 s dc11 byomb

g2rv-1 s dc21 byomb (36-901-34) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-1 s dc21 byomb

g2rv-1 s dc48 byomb (36-901-35) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-1 s dc48 byomb

g2rv-sl500-110vac (36-901-31) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-sl500-110vac

g2rv-sl500-12vdc (36-901-27) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-sl500-12vdc

g2rv-sl500-230vac (36-901-32) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-sl500-230vac

g2rv-sl500-24 vac/dc (36-901-29) ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
панель-g2rv-sl500-24 vac/dc

g2rv-sl500-24vdc (36-901-28) панель-g2rv-sl500-24vdc	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl500-48 vac/dc (36-901-30) панель-g2rv-sl500-48 vac/dc	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl700-110vac (36-901-25) панель-g2rv-sl700-110vac	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl700-12 vdc (36-901-21) панель-g2rv-sl700-12 vdc	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl700-230vac (36-901-26) панель-g2rv-sl700-230vac	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl700-24 vac/dc (36-901-23) панель-g2rv-sl700-24 vac/dc	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl700-24 vdc (36-901-22) панель-g2rv-sl700-24 vdc	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
g2rv-sl700-48 vac/dc (36-901-24) панель-g2rv-sl700-48 vac/dc	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на
r99-15 for g2rv (36-901-44) 15 for g2rv	ed, эл-мех.компоненты-пневм.компоненты реле реле для установки на панель-r99-
g2rv-1-s dc21 omron	
g2rv-sl500 ac230 omron	
g2rv-sl500 dc24 omron	
g2rv-sl700 ac230 omron	
g2rv-sl700 dc24 omron	
g2rv-1-s dc21 omron-ia	
g2rv-sl500 dc24 omron-ia	
g2rv-sl700 ac/dc24 omron-ia	
g2rv-sl700 ac230 omron-ia	
g2rv-sl700 dc24 omron-ia	
g2rv-1-s 11vdc omron	
g2rv-1-s 21vdc omron	
g2rv-1-s 48vdc omron	
g2rv-sl500 110vac omron	
g2rv-sl500 12vdc omron	
g2rv-sl500 230vac omron	

g2rv-sl500 24vac/dc omron
g2rv-sl500 24vdc omron
g2rv-sl500 48vac/dc omron
g2rv-sl501-ac/dc24 omron
g2rv-sl700 110vac omron
g2rv-sl700 12vdc omron
g2rv-sl700 230vac omron
g2rv-sl700 24vac/dc omron
g2rv-sl700 24vdc omron
g2rv-sl700 48vac/dc omron
g2rv-sl701-ac/dc24 omron

g2rv-1-s dc11 omron automation and safety, relay gen purpose spdt 6a 12v. мин.: 4шт.

g2rv-1-s dc21 omron, industrial relays 6a 21vdc relay only. мин.: 4шт.

g2rv-1-s dc21 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 6шт.

g2rv-1-s dc21 omron-ia, g2rvom. мин.: 16шт.

g2rv-1-s dc48 omron, industrial relays 6a 48vdc relay only. мин.: 5шт.

g2rv-1-s-ap dc11 omron automation and safety, relay gen purpose spdt 50ma 12v. мин.: 5шт.

g2rv-1-s-ap dc21 omron automation and safety, relay gen purpose spdt 50ma 24v. мин.: 5шт.

g2rv-1sg-dc21 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 7шт.

g2rv-sl500 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 2шт.

g2rv-sl500 ac/dc24 omron, industrial relays relay & socket ac/dc24 plug-in term. мин.: 2шт.

g2rv-sl500 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v. мин.: 3шт.

g2rv-sl500 ac110 omron automation and safety, relay gen purpose spdt 6a 110v. мин.: 2шт.

g2rv-sl500 ac110 omron, industrial relays relay & socket ac110 plug-in term. мин.: 2шт.

g2rv-sl500 ac230 omron, industrial relays relay & socket ac230 plug-in term. мин.: 2шт.

g2rv-sl500 dc12(dc11) omron, industrial relays relay & socket dc12 plug-in term. мин.: 2шт.

g2rv-sl500 dc24 omron-ia, g2rvom. мин.: 7шт.

g2rv-sl500 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 2шт.

g2rv-sl500 dc24(dc21) omron, industrial relays relay & socket dc24 plug-in term. мин.: 2шт.

g2rv-sl500-ap ac/dc24 omron, general purpose relays slim relay & socket. мин.: 2шт.

g2rv-sl500-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v. мин.: 2шт.

g2rv-sl500-ap ac230 omron, general purpose relays slim relay & socket. мин.: 2шт.

g2rv-sl500-ap dc12 omron, general purpose relays slim relay & socket. мин.: 2шт.

g2rv-sl500-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v. мин.: 3шт.

g2rv-sl500-ap dc24 omron, general purpose relays slim relay & socket. мин.: 2шт.

g2rv-sl501-dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

g2rv-sl700 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 2шт.

g2rv-sl700 ac/dc24 omron-ia, g2rvom. мин.: 8шт.

g2rv-sl700 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v. мин.: 2шт.

g2rv-sl700 ac110 omron automation and safety, relay gen purpose spdt 6a 110v. мин.: 3шт.

g2rv-sl700 ac230 omron, industrial relays relay module spdt 230vac. мин.: 2шт.

g2rv-sl700 ac230 omron-ia, g2rvom. мин.: 7шт.

g2rv-sl700 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v. мин.: 2шт.

g2rv-sl700 dc12(dc11)omron, industrial relays 6a 12vdc relay and socket. мин.: 2шт.

g2rv-sl700 dc24 omron-ia, g2rvom. мин.: 8шт.

g2rv-sl700 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

g2rv-sl700 dc24(dc21)omron, industrial relays 6a 24vdc relay and socket. мин.: 3шт.

g2rv-sl700-ac/dc24 omron, industrial relays 6a 24vac/dc relay and socket. мин.: 3шт.

g2rv-sl700-ac110 omron, industrial relays 6a 110vac relay and socket. мин.: 3шт.

g2rv-sl700-ap ac/dc24 omron, general purpose relays slim relay & socket. мин.: 2шт.

g2rv-sl700-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v. мин.: 3шт.

g2rv-sl700-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v. мин.: 2шт.

g2rv-sl700-ap ac230 omron, general purpose relays slim relay & socket. мин.: 2шт.

g2rv-sl701-ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

g2rv-sr500 ac110 omron automation and safety, relay gen purpose spdt 6a 110v. мин.: 2шт.

g2rv-sr500 ac230 omron automation and safety, relay gen purpose spdt 6a 230v. мин.: 2шт.

g2rv-sr500 dc12 omron automation and safety, relay gen purpose spdt 6a 12v. мин.: 3шт.

g2rv-sr500 dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

g2rv-sr500-ap ac/dc48 omron automation and safety, relay gen purpose spdt 50ma 48v. мин.: 3шт.

g2rv-sr500-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v. мин.: 3шт.

g2rv-sr500-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v. мин.: 3шт.

g2rv-sr500-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v. мин.: 3шт.

g2rv-sr501 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

g2rv-sr700 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v. мин.: 3шт.

g2rv-sr700 ac110 omron automation and safety, relay gen purpose spdt 6a 110v. мин.: 3шт.

g2rv-sr700 ac230 omron automation and safety, relay gen purpose spdt 6a 230v. мин.: 3шт.

g2rv-sr700 dc12 omron automation and safety, relay gen purpose spdt 6a 12v. мин.: 3шт.

g2rv-sr700 dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

g2rv-sr700-ap ac/dc48 omron automation and safety, relay gen purpose spdt 50ma 48v. мин.: 3шт.

g2rv-sr700-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v. мин.: 2шт.

g2rv-sr700-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v. мин.: 2шт.

g2rv-sr700-ap dc12 omron automation and safety, relay gen purpose spdt 50ma 12v. мин.: 3шт.

g2rv-sr701 dc24 omron automation and safety, relay gen purpose spdt 6a 24v. мин.: 3шт.

r99-15 for g2rv 1pc omron automation and safety, label sheet adhesive for g2rv. мин.: 2шт.

g2rv-1-s dc21 omron-ia, реле электромеханическое

g2rv-sl500 dc24 omron-ia, реле электромеханическое

g2rv-sl700 ac/dc24 omron-ia, реле электромеханическое

g2rv-sl700 ac230 omron-ia, реле электромеханическое

g2rv-sl700 dc24 omron-ia, реле электромеханическое

g2rv-sl700 dc24 реле omron, / м.опт: 2-2 шт. опт: от 3 шт.

g2rv-1-s dc21 omron-ia, g2rvom

g2rv-sl500 dc24 omron-ia, g2rvom

g2rv-sl700 ac/dc24 omron-ia, g2rvom

g2rv-sl700 ac230 omron-ia, g2rvom

g2rv-sl700 dc24 omron-ia, g2rvom

g2rv-1-s dc21 g2rvom omron-ia, оптовая цена от 17 шт.

g2rv-sl500 dc24 g2rvom omron-ia, оптовая цена от 17 шт.

g2rv-sl700 ac/dc24 g2rvom omron-ia, оптовая цена от 5 шт.

g2rv-sl700 ac230 g2rvom omron-ia, оптовая цена от 17 шт.

g2rv-sl700 dc24 g2rvom omron-ia, оптовая цена от 17 шт.

g2rv1sapdc11byomb (g2rv-1-s-ap dc11) реле 6 мм серии g2rv без колодки, однополюсное, вставное, контакты изготовлены из серебра и олова с золотым покрытием, напряжение питания 11 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rv1sapdc21byomb (g2rv-1-s-ap dc21) реле 6 мм серии g2rv без колодки, однополюсное, вставное, контакты изготовлены из серебра и олова с золотым покрытием, напряжение питания 21 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rv1sapdc48byomb (g2rv-1-s-ap dc48) реле 6 мм серии g2rv без колодки, однополюсное, вставное, контакты изготовлены из серебра и олова с золотым покрытием, напряжение питания 48 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rv1sdc11byomb (g2rv-1-s dc11) реле 6 мм серии g2rv без колодки, однополюсное, вставное, контакты изготовлены из серебра и олова, напряжение питания 11 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rv1sdc21byomb (g2rv-1-s dc21) реле 6 мм серии g2rv без колодки, однополюсное, вставное, контакты изготовлены из серебра и олова, напряжение питания 21 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rv1sdc48byomb (g2rv-1-s dc48) реле 6 мм серии g2rv без колодки, однополюсное, вставное, контакты изготовлены из серебра и олова, напряжение питания 48 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rv1sidc21byomb (g2rv-1-si dc21 by omb) реле 6 мм серии g2rv без колодки, однополюсное, вставное, с тестовой кнопкой, контакты изготовлены из серебра и олова, напряжение питания 21 v dc omron, оптовая цена от 1 шт.

g2rvsl500ac110byomb (g2rv-sl500 ac110) реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 110 v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500ac230byomb (g2rv-sl500 ac230) реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 230 v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500acdc24byomb (g2rv-sl500 ac/dc24) реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 24 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500acdc48byomb (g2rv-sl500 ac/dc48) реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 48 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500apac110byomb (g2rv-sl500-ap ac110) реле 6 мм серии g2rv, быстрозажимные клеммы, входной тип, напряжение питания 110 v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500apac230byomb (g2rv-sl500-ap ac230) реле 6 мм серии g2rv, быстрозажимные клеммы, входной тип, напряжение питания 230 v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500apacdc24byomb (g2rv-sl500-ap ac/dc24) реле 6 мм серии g2rv, быстрозажимные клеммы, входной тип, напряжение питания 24 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500apacdc48byomb (g2rv-sl500-ap ac/dc48) реле 6 мм серии g2rv, быстрозажимные клеммы, входной тип, напряжение питания 48 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500apdc12byomb (g2rv-sl500-ap dc12) реле 6 мм серии g2rv, быстрозажимные клеммы, входной тип, напряжение питания 12 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500apdc24byomb (g2rv-sl500-ap dc24) реле 6 мм серии g2rv, быстрозажимные клеммы, входной тип, напряжение питания 24 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500dc12byomb (g2rv-sl500 dc12) реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 12 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl500dc24byomb (g2rv-sl500 dc24) реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 24 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsl501acdc24byomb (g2rv-sl501 ac/dc24 by omb) реле 6 мм серии g2rv, быстрозажимные клеммы, тестовая кнопка, напряжение питания 24 v ac/dc омрон, оптовая цена от 1 шт.

g2rvsl501dc24byomb (g2rv-sl501 dc24 by omb) реле 6 мм серии g2rv, быстрозажимные клеммы, тестовая кнопка, напряжение питания 24 v dc омрон, оптовая цена от 1 шт.

g2rvsl700ac110byomb (g2rv-sl700 ac110) реле 6 мм серии g2rv, винтовые клеммы, напряжение питания 110 v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700ac230byomb (g2rv-sl700 ac230) реле 6 мм серии g2rv, винтовые клеммы, напряжение питания 230 v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700acdc24byomb (g2rv-sl700 ac/dc24) реле 6 мм серии g2rv, винтовые клеммы, напряжение питания 24 v ac/dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700acdc48byomb (g2rv-sl700 ac/dc48) реле 6 мм серии g2rv, винтовые клеммы, напряжение питания 48 v ac/dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700арac110byomb (g2rv-sl700-ар ac110) реле 6 мм серии g2rv, винтовые клеммы, входной тип, напряжение питания 110 v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700арac230byomb (g2rv-sl700-ар ac230) реле 6 мм серии g2rv, винтовые клеммы, входной тип, напряжение питания 230 v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700арacdc24byomb (g2rv-sl700-ар ac/dc24) реле 6 мм серии g2rv, винтовые клеммы, входной тип, напряжение питания 24 v ac/dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700арacdc48byomb (g2rv-sl700-ар ac/dc48) реле 6 мм серии g2rv, винтовые клеммы, входной тип, напряжение питания 48 v ac/dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700арdc12byomb (g2rv-sl700-ар dc12) реле 6 мм серии g2rv, винтовые клеммы, входной тип, напряжение питания 12 v dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700арdc24byomb (g2rv-sl700-ар dc24) реле 6 мм серии g2rv, винтовые клеммы, входной тип, напряжение питания 24 v dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700dc12byomb (g2rv-sl700 dc12) реле 6 мм серии g2rv, винтовые клеммы, напряжение питания 12 v dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl700dc24byomb (g2rv-sl700 dc24) реле 6 мм серии g2rv, винтовые клеммы, напряжение питания 24 v dc, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsl701acdc24byomb (g2rv-sl701 ac/dc24 by omb) реле 6 мм серии g2rv, винтовые клеммы, тестовая кнопка, напряжение питания 24 v ac/dc омрон, оптовая цена от 1 шт.

g2rvsl701dc24byomb (g2rv-sl701 dc24 by omb) реле 6 мм серии g2rv, винтовые клеммы, тестовая кнопка, напряжение питания 24 v dc омрон, оптовая цена от 1 шт.

g2rvsr500ac100 (g2rv-sr500 ac100) реле 6 мм серии g2rv, черное, клеммы push-in plus, напряжение питания v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsr500ac110 (g2rv-sr500 ac110) реле 6 мм серии g2rv, черное, клеммы push-in plus, напряжение питания 110 v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsr500ac200 (g2rv-sr500 ac200) реле 6 мм серии g2rv, черное, клеммы push-in plus, напряжение питания v ac, ток 6 а омрон, оптовая цена от 1 шт.

g2rvsr500ac230 (g2rv-sr500 ac230) реле 6 мм серии g2rv, черное, клеммы push-in plus, напряжение питания 230 v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500acdc24 (g2rv-sr500 ac/dc24) реле 6 мм серии g2rv миниатюрное, черное, клеммы push-in plus, контакты изготовлены из серебра и олова, напряжение питания 24 v ac/dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500acdc48 (g2rv-sr500 ac/dc48) реле 6 мм серии g2rv, черное, клеммы push-in plus, напряжение питания 48 v ac/dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apac100 (g2rv-sr500-ap ac100) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apac110 (g2rv-sr500-ap ac110) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания 110 v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apac200 (g2rv-sr500-ap ac200) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apac230 (g2rv-sr500-ap ac230) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания 230 v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apacdc24 (g2rv-sr500-ap ac/dc24) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания 24 v ac/dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apacdc48 (g2rv-sr500-ap ac/dc48) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания 48 v ac/dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apdc12 (g2rv-sr500-ap dc12) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания 12 v dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500apdc24 (g2rv-sr500-ap dc24) реле 6 мм серии g2rv, черное, клеммы push-in plus, входной тип, напряжение питания 24 v dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500dc12 (g2rv-sr500 dc12) реле 6 мм серии g2rv, черное, клеммы push-in plus, напряжение питания 12 v dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr500dc24 (g2rv-sr500 dc24) реле 6 мм серии g2rv миниатюрное, черное, клеммы push-in plus, контакты изготовлены из серебра и олова, напряжение питания 24 v dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr501acdc24 (g2rv-sr501 ac/dc24) реле 6 мм серии g2rv, черное, клеммы push-in plus, с тестовой кнопкой, напряжение питания 24 v ac/dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr501dc24 (g2rv-sr501 dc24) реле 6 мм серии g2rv, черное, клеммы push-in plus, с тестовой кнопкой, напряжение питания 24 v dc, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr700ac100 (g2rv-sr700 ac100) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr700ac110 (g2rv-sr700 ac110) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания 110 v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr700ac200 (g2rv-sr700 ac200) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr700ac230 (g2rv-sr700 ac230) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания 230 v ac, ток 6 a omron, оптовая цена от 1 шт.

g2rvsr700acdc24 (g2rv-sr700 ac/dc24) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания 24 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700acdc48 (g2rv-sr700 ac/dc48) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания 48 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apac100 (g2rv-sr700-ap ac100) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apac110 (g2rv-sr700-ap ac110) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания 110 v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apac200 (g2rv-sr700-ap ac200) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apac230 (g2rv-sr700-ap ac230) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания 230 v ac, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apacdc24 (g2rv-sr700-ap ac/dc24) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания 24 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apacdc48 (g2rv-sr700-ap ac/dc48) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания 48 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apdc12 (g2rv-sr700-ap dc12) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания 12 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700apdc24 (g2rv-sr700-ap dc24) реле 6 мм серии g2rv, черное, винтовые клеммы, входной тип, напряжение питания 24 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700dc12 (g2rv-sr700 dc12) реле 6 мм серии g2rv, черное, винтовые клеммы, напряжение питания 12 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr700dc24 (g2rv-sr700 dc24) реле 6 мм серии g2rv миниатюрное, черное, винтовые клеммы, контакты изготовлены из серебра и олова, напряжение питания 24 v dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr701acdc24 (g2rv-sr701 ac/dc24) реле 6 мм серии g2rv, черное, винтовые клеммы, с тестовой кнопкой, напряжение питания 24 v ac/dc, ток 6 а omron, оптовая цена от 1 шт.

g2rvsr701dc24 (g2rv-sr701 dc24) реле 6 мм серии g2rv, черное, винтовые клеммы, с тестовой кнопкой, напряжение питания 24 v dc, ток 6 а omron, оптовая цена от 1 шт.

pydn62020r (pydn-6.2-020r) переключатель для реле g2rv/g3rv, два полюса, красная, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62020s (pydn-6.2-020s) переключатель для реле g2rv/g3rv, два полюса, синяя, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62020y (pydn-6.2-020y) переключатель для реле g2rv/g3rv, два полюса, желтая, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62030r (pydn-6.2-030r) переключатель для реле g2rv/g3rv, три полюса, красная, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62030s (pydn-6.2-030s) переключатель для реле g2rv/g3rv, три полюса, синяя, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62030y (pydn-6.2-030y) переключатель для реле g2rv/g3rv, три полюса, желтая, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62040r (pydn-6.2-040r) переключатель для реле g2rv/g3rv, четыре полюса, красная, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62040s (pydn-6.2-040s) переключатель для реле g2rv/g3rv, четыре полюса, синяя, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62040y (pydn-6.2-040y) переключатель для реле g2rv/g3rv, четыре полюса, желтая, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62100r (pydn-6.2-100r) переключатель для реле g2rv/g3rv, десять полюсов, красная, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62100s (pydn-6.2-100s) переключатель для реле g2rv/g3rv, десять полюсов, синяя, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62100y (pydn-6.2-100y) переключатель для реле g2rv/g3rv, десять полюсов, желтая, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62200r (pydn-6.2-200r) переключатель для реле g2rv/g3rv, двадцать полюсов, красная, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62200s (pydn-6.2-200s) переключатель для реле g2rv/g3rv, двадцать полюсов, синяя, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

pydn62200y (pydn-6.2-200y) переключатель для реле g2rv/g3rv, двадцать полюсов, желтая, ток 32а, минимальный заказ 10 шт omron, оптовая цена от 1 шт.

r9915forg2rv1pc120la (r99-15 for g2rv(1pc=120labels)) этикетка для колодки реле серии g2rv/ g3rv, белые, 1 лист - 120 этикеток omron, оптовая цена от 1 шт.

r9916forg2rv (r99-16 for g2rv(1pc=484labels)) этикетка, наклеиваемая, для реле серии g2rv/ g3rv, белые, 10 листов по 484 шт. в упаковке omron, оптовая цена от 1 шт.

g2rv-1-s dc21 /omron/ moq>1 omron

g2rv-1-s dc21 /omron/ moq>63 omron

g2rv-1-s-dc21 /omron industrial automation/ moq> 25 omron industrial automation

g2rv-sl500 12vdc /omron/ moq>1 omron

g2rv-sl500 24vac/dc /omron/ moq>100 omron

g2rv-sl500 24vdc /omron/ moq>25 omron

g2rv-sl500 ac230 /omron/ moq>5 omron

g2rv-sl500 dc24 /omron/ moq>27 omron

g2rv-sl500 dc24 /omron/ moq>5 omron

g2rv-sl700 230vac /omron/ moq>25 omron

g2rv-sl700 24vac/dc /omron/ moq>100 omron

g2rv-sl700 24vdc /omron/ moq>100 omron
g2rv-sl700 ac/dc24 /omron/ moq>1 omron
g2rv-sl700 ac230 /omron/ moq>1 omron
g2rv-sl700 ac230 /omron/ moq>15 omron
g2rv-sl700 dc24 /omron industrial automation/ moq> 25 omron industrial automation
g2rv-sl700 dc24 /omron/ moq>16 omron
g2rv-sl700 dc24 /omron/ moq>5 omron
g2rv-sl700-ac110 /omron industrial automation/ moq> 5 omron industrial automation
g2rv-sl701-ac/dc24 /omron/ moq>5 omron
g2rv-sr500 ac/dc24 /omron/ moq>5 omron
g2rv-sr500 ac110 /omron industrial automation/ moq> 5 omron industrial automation
g2rv-sr500 ac230 /omron/ moq>5 omron
g2rv-sr500 dc24 /omron industrial automation/ moq> 1 omron industrial automation
g2rv-sr500 dc24 /omron/ moq>1 omron
g2rv-sr500-ap ac/dc48 /omron industrial automation/ moq> 5 omron industrial automation
g2rv-sr501 ac/dc24 /omron industrial automation/ moq> 1 omron industrial automation
g2rv-sr501 ac/dc24 /omron/ moq>5 omron
g2rv-sr501 dc24 /omron/ moq>25 omron
g2rv-sr700 ac/dc24 /omron/ moq>1 omron
g2rv-sr700 ac/dc48 /omron industrial automation/ moq> 5 omron industrial automation
g2rv-sr700 ac110 /omron industrial automation/ moq> 5 omron industrial automation
g2rv-sr700 ac230 /omron industrial automation/ moq> 5 omron industrial automation
g2rv-sr700 ac230 /omron/ moq>5 omron
g2rv-sr700 dc12 /omron industrial automation/ moq> 1 omron industrial automation
g2rv-sr700 dc24 /omron industrial automation/ moq> 10 omron industrial automation
g2rv-sr700 dc24 /omron/ moq>1 omron
g2rv-sr700-ap ac/dc48 /omron industrial automation/ moq> 10 omron industrial automation
g2rv-sr700-ap dc12 /omron industrial automation/ moq> 10 omron industrial automation
g2rv-sr701 dc24 /omron/ moq>25 omron
g2rvsl700dc24dc21 /omron industrial automation/ moq> 50 omron industrial automation
g2rv-1-s dc11 omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-1-s dc21 omron-ia, реле электромеханическое

g2rv-1-s dc21 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-1-s dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-1-s-ap dc11 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-1-s-ap dc21 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-1sg-dc21 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sl500 ac230 omron automation and safety, relay gen purpose spdt 6a 230v

g2rv-sl500 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sl500 dc24 omron-ia, реле электромеханическое

g2rv-sl500 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl500-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v

g2rv-sl500-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl501-dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl700 ac/dc24 omron-ia, реле электромеханическое

g2rv-sl700 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-sl700 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sl700 ac230 omron-ia, реле электромеханическое

g2rv-sl700 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sl700 dc24 omron-ia, реле электромеханическое

g2rv-sl700 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl700-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl700-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v

g2rv-sl700-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v

g2rv-sl700-ap dc12 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-sl701 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl701-ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr500 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sr500 ac200 omron automation and safety, relay gen purpose spdt 6a 200v

g2rv-sr500 ac230	omron automation and safety, relay gen purpose spdt 6a 230v
g2rv-sr500 dc12	omron automation and safety, relay gen purpose spdt 6a 12v
g2rv-sr500 dc24	omron automation and safety, relay gen purpose spdt 6a 24v
g2rv-sr500-ap ac/dc48	omron automation and safety, relay gen purpose spdt 50ma 48v
g2rv-sr500-ap ac110	omron automation and safety, relay gen purpose spdt 50ma 110v
g2rv-sr500-ap ac230	omron automation and safety, relay gen purpose spdt 50ma 230v
g2rv-sr500-ap dc24	omron automation and safety, relay gen purpose spdt 50ma 24v
g2rv-sr501 ac/dc24	omron automation and safety, relay gen purpose spdt 6a 24v
g2rv-sr700 ac/dc24	omron automation and safety, relay gen purpose spdt 6a 24v
g2rv-sr700 ac/dc48	omron automation and safety, relay gen purpose spdt 6a 48v
g2rv-sr700 ac100	omron automation and safety, relay gen purpose spdt 6a 100v
g2rv-sr700 ac110	omron automation and safety, relay gen purpose spdt 6a 110v
g2rv-sr700 ac230	omron automation and safety, relay gen purpose spdt 6a 230v
g2rv-sr700 dc12	omron automation and safety, relay gen purpose spdt 6a 12v
g2rv-sr700 dc24	omron automation and safety, relay gen purpose spdt 6a 24v
g2rv-sr700-ap ac/dc48	omron automation and safety, relay gen purpose spdt 50ma 48v
g2rv-sr700-ap ac110	omron automation and safety, relay gen purpose spdt 50ma 110v
g2rv-sr700-ap ac230	omron automation and safety, relay gen purpose spdt 50ma 230v
g2rv-sr700-ap dc12	omron automation and safety, relay gen purpose spdt 50ma 12v
g2rv-sr700-ap dc24	omron automation and safety, relay gen purpose spdt 50ma 24v
r99-15 for g2rv 1pc	omron automation and safety, label sheet adhesive for g2rv
r99-16 for g2rv	omron automation and safety, label sheet adhesive for g2rv
g2rv-1-s dc21	omron-ia, g2rvom
g2rv-sl500 dc24	omron-ia, g2rvom
g2rv-sl700 ac/dc24	omron-ia, g2rvom
g2rv-sl700 ac230	omron-ia, g2rvom
g2rv-sl700 dc24	omron-ia, g2rvom
g2rv-1-s dc21	omron-ia
g2rv-sl500 dc24	omron-ia
g2rv-sl700 ac/dc24	omron-ia
g2rv-sl700 ac230	omron-ia

g2rv-sl700 dc24 omron-ia

g2rv-1-s dc11

g2rv-1-s dc21

g2rv-1-s dc21

g2rv-1-s-ap dc11

g2rv-1-s-ap dc21

g2rv-sl500 ac/dc24

g2rv-sl500 ac/dc48

g2rv-sl500 ac110

g2rv-sl500 ac230

g2rv-sl500 dc12

g2rv-sl500 dc24

g2rv-sl500 dc24

g2rv-sl500-ap ac/dc24

g2rv-sl500-ap ac110

g2rv-sl500-ap ac230

g2rv-sl500-ap dc12

g2rv-sl500-ap dc24

g2rv-sl700 ac/dc24

g2rv-sl700 ac/dc24

g2rv-sl700 ac/dc48

g2rv-sl700 ac110

g2rv-sl700 ac230

g2rv-sl700 ac230

g2rv-sl700 dc12

g2rv-sl700 dc24

g2rv-sl700 dc24

g2rv-sl700 dc24 реле

g2rv-sl700-ap ac/dc24

g2rv-sl700-ap ac110

g2rv-sl700-ap ac230

g2rv-sl700-ap dc12

g2rv-sl700-ap dc24

g2rv-sl701 ac/dc24

g2rv-sl701 dc24

g2rv-sr500 ac/dc24

g2rv-sr500 ac110

g2rv-sr500 ac230

g2rv-sr500 dc24

g2rv-sr500-ap ac110

g2rv-sr500-ap ac230

g2rv-sr500-ap dc24

g2rv-sr501 ac/dc24

g2rv-sr501 dc24

g2rv-sr700 ac/dc24

g2rv-sr700 ac110

g2rv-sr700 ac230

g2rv-sr700 dc24

g2rv-sr700-ap ac110

g2rv-sr700-ap ac230

g2rv-sr700-ap dc24

g2rv8028g

g2rv9007m

r99-15 for g2rv (1 pc = 120 la

g2rv-1-s dc21 omron-ia, g2rvom

g2rv-sl500 dc24 omron-ia, g2rvom

g2rv-sl700 ac/dc24 omron-ia, g2rvom

g2rv-sl700 ac230 omron-ia, g2rvom

g2rv-sl700 dc24 omron-ia, g2rvom

g2rv-1-s 21vdc omron-ia

g2rv-1-s dc11 omron-ia, реле, spco, 6 а контакты, for replacement in g2rv-sl*00 12dc

g2rv-1-s dc21 omron-ia, реле, spco, 6 а контакты, для замены в g2rv-sl*00 24 vdc or 24 vac/dc

g2rv-1-s dc48 omron-ia, реле, spco, 6 а контакты, для замены в g2rv-sl*00 48 vac/dc, 110 vac, 230 vac

g2rv-sl500 ac/dc24 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, безвинтовые клеммы, катушка 24 vac/dc

g2rv-sl500 ac/dc48 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, безвинтовые клеммы, катушка 48 vac/dc

g2rv-sl500 ac110 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, безвинтовые клеммы, катушка 110 vac

g2rv-sl500 ac230 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, безвинтовые клеммы, катушка 230 vac

g2rv-sl500 dc12 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, безвинтовые клеммы, катушка 12 vdc

g2rv-sl500 dc24 omron-ia, тонкое реле 6мм+колодка. нагрузка 6а при 250vac/30vdc. время срабатывания макс.20 мс. 5 000 000 переключений. размер 6x99x107 мм. питание 24dc.

g2rv-sl500-ap ac/dc24 omron-ia

g2rv-sl500-ap ac230 omron-ia

g2rv-sl500-ap dc24 omron-ia

g2rv-sl700 24vdc omron-ia

g2rv-sl700 ac/dc24 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, винтовые клеммы, катушка 24 vac/dc

g2rv-sl700 ac/dc48 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, винтовые клеммы, катушка 48 vac/dc

g2rv-sl700 ac110 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, винтовые клеммы, катушка 110 vac

g2rv-sl700 ac230 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, винтовые клеммы, катушка 230 vac

g2rv-sl700 dc12 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, винтовые клеммы, катушка 12 vdc

g2rv-sl700 dc24 omron-ia, тонкое (6мм) реле с цоколем, ток 6а, винтовые клеммы, катушка 24 vdc

g2rv-sl700-24 ac/dc omron-ia

g2rv-sl700-ap ac/dc24 omron-ia

g2rv-sl700-ap ac230 omron-ia

g2rv-sl700-ap dc24 omron-ia

g2rv-sr700 ac230 omron-ia, power relay, 230vac, 6а, spdt, din rail

g2rv1s dc11 omron-ia

g2rv1s dc21 omron-ia

g2rv1s dc48 omron-ia

g2rvsl500 ac/dc24 omron-ia

g2rvsl500 ac/dc48 omron-ia

g2rvsl500 ac230 omron-ia

g2rvsl500 dc12 omron-ia

g2rvsl500 dc24 omron-ia

g2rvsl700 ac/dc24	omron-ia
g2rvsl700 ac/dc48	omron-ia
g2rvsl700 ac110	omron-ia
g2rvsl700 ac230	omron-ia
g2rvsl700 dc12	omron-ia
g2rvsl700 dc24	omron-ia
r99-15 for g2rv[1pc=120labels]	omron-ia
r99-16 for g2rv[1pc=484labels]	omron-ia
g2rv-1-s 11vdc	omron, реле: электромагнитное; spdt; уобмотки:11vdc; 6a/250vac; 6a/30vdc
g2rv-1-s 21vdc	omron, реле: электромагнитное; spdt; уобмотки:21vdc; 6a/250vac; 6a/30vdc
g2rv-1-s 48vdc	omron, реле: электромагнитное; spdt; уобмотки:48vdc; 6a/250vac; 6a/30vdc
g2rv-1-s dc11	omron automation and safety, промышленные реле 6a 11vdc relay only
g2rv-1-s dc11	omron, spdt 11vdc 6a 6mm relay g
g2rv-1-s dc21	omron automation and safety, промышленные реле 6a 21vdc relay only
g2rv-1-s dc21	omron, spdt 21vdc 6a 6mm relay g
g2rv-1-s dc48	omron, spdt 48vdc 6a 6mm relay g
g2rv-1-s dc48	omron automation and safety, промышленные реле 6a 48vdc relay only
g2rv-1-s-ap dc11	omron automation and safety, реле общего назначения slim relay
g2rv-1-s-ap dc11	omron, input relay, spdt, 50 ma
g2rv-1-s-ap dc21	omron automation and safety, реле общего назначения slim relay
g2rv-1-s-ap dc21	omron, input relay, spdt, 50 ma
g2rv-1-s-ap dc48	omron automation and safety, реле общего назначения slim relay
g2rv-1-s-dc21	omron, relay, spdt, 21vdc, 6a, socket
g2rv-sl500 110vac	omron, реле: интерфейсное; spdt; уобмотки:110vac; 6a; 6a/250vac; 6a/30vdc
g2rv-sl500 12vdc	omron, реле: интерфейсное; spdt; уобмотки:12vdc; 6a; 6a/250vac; 6a/30vdc
g2rv-sl500 230vac	omron, реле: интерфейсное; spdt; уобмотки:230vac; 6a; 6a/250vac; 6a/30vdc
g2rv-sl500 24vac/dc	omron, реле: интерфейсное; spdt; уобмотки:24vdc; уобмотки:24vac; 6a
g2rv-sl500 24vdc	omron, реле: интерфейсное; spdt; уобмотки:24vdc; 6a; 6a/250vac; 6a/30vdc
g2rv-sl500 48vac/dc	omron, реле: интерфейсное; spdt; уобмотки:48vdc; уобмотки:48vac; 6a
g2rv-sl500 ac/dc24	omron automation and safety, промышленные реле relay & socket ac/dc24 plug-in term
g2rv-sl500 ac/dc24	omron, spdt 24vac/dc 6a relay &

g2rv-sl500 ac/dc24	omron, универсальное реле, серия g2rv, силовое, без защелки, spdt, 24в, 6а
g2rv-sl500 ac/dc48	omron, spdt 48vac/dc 6a relay &
g2rv-sl500 ac/dc48	omron automation and safety, промышленные реле relay & socket ac/dc48 plug-in term
g2rv-sl500 ac110	omron automation and safety, промышленные реле relay & socket ac110 plug-in term
g2rv-sl500 ac110	omron, spdt 110vac 6a relay & sk
g2rv-sl500 ac230	omron, spdt 230vac 6a relay & sk
g2rv-sl500 ac230	omron automation and safety, промышленные реле relay & socket ac230 plug-in term
g2rv-sl500 dc12	omron, spdt 12vdc 6a relay & skt
g2rv-sl500 dc12(dc11)	omron automation and safety, промышленные реле relay & socket dc12 plug-in term
g2rv-sl500 dc24	omron, spdt 24vdc 6a relay & skt
g2rv-sl500 dc24	omron, универсальное реле, серия g2rv, силовое, без защелки, spdt, 24в dc, 6а
g2rv-sl500 dc24(dc21)	omron automation and safety, промышленные реле relay & socket dc24 plug-in term
g2rv-sl500-ap ac/dc24	omron, input relay with socket,
g2rv-sl500-ap ac/dc24	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl500-ap ac/dc48	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl500-ap ac110	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl500-ap ac110	omron, input relay with socket,
g2rv-sl500-ap ac230	omron, input relay with socket,
g2rv-sl500-ap ac230	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl500-ap dc12	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl500-ap dc12	omron, input relay with socket,
g2rv-sl500-ap dc24	omron, input relay with socket,
g2rv-sl500-ap dc24	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl500-dc24 (dc21)	omron, relay, spdt, 250vac, 30vdc, 6а
g2rv-sl501-ac/dc24	omron, реле: интерфейсное; spdt; уобмотки:24vdc; уобмотки:24vac; 6а
g2rv-sl700 110vac	omron, реле: интерфейсное; spdt; уобмотки:110vac; 6а; 6а/250vac; 6а/30vdc
g2rv-sl700 12vdc	omron, реле: интерфейсное; spdt; уобмотки:12vdc; 6а; 6а/250vac; 6а/30vdc
g2rv-sl700 230vac	omron, реле: интерфейсное; spdt; уобмотки:230vac; 6а; 6а/250vac; 6а/30vdc
g2rv-sl700 24vac/dc	omron, реле: интерфейсное; spdt; уобмотки:24vdc; уобмотки:24vac; 6а
g2rv-sl700 24vdc	omron, реле: интерфейсное; spdt; уобмотки:24vdc; 6а; 6а/250vac; 6а/30vdc
g2rv-sl700 48vac/dc	omron, реле: интерфейсное; spdt; уобмотки:48vdc; уобмотки:48vac; 6а

g2rv-sl700 ac/dc24	omron, spdt 24vac/dc 6a relay+ s
g2rv-sl700 ac/dc48	omron, spdt 48vac/dc 6a relay+ s
g2rv-sl700 ac110	omron, spdt 110vac 6a relay+ skt
g2rv-sl700 ac230	omron automation and safety, промышленные реле relay module spdt 230vac
g2rv-sl700 ac230	omron, spdt 230vac 6a relay+ skt
g2rv-sl700 dc12	omron, spdt 12vdc 6a relay+ skt
g2rv-sl700 dc12(dc11)	omron automation and safety, промышленные реле 6a 12vdc relay and socket
g2rv-sl700 dc24	omron, универсальное реле, серия g2rv, силовое, без защелки, spdt, 24в dc, 6a
g2rv-sl700 dc24	omron, spdt 24vdc 6a relay+socke
g2rv-sl700 dc24(dc21)	omron automation and safety, промышленные реле 6a 24vdc relay and socket
g2rv-sl700-ac/dc24	omron automation and safety, промышленные реле 6a 24vac/dc relay and socket
g2rv-sl700-ac/dc48	omron automation and safety, промышленные реле 6a 48vac/dc relay and socket
g2rv-sl700-ac110	omron, relay, spdt, 250vac, 30vdc, 6a
g2rv-sl700-ac110	omron automation and safety, промышленные реле 6a 110vac relay and socket
g2rv-sl700-ap ac/dc24	omron, input relay with socket,
g2rv-sl700-ap ac/dc24	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap ac/dc48	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap ac110	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap ac110	omron, input relay with socket,
g2rv-sl700-ap ac230	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap ac230	omron, input relay with socket,
g2rv-sl700-ap dc12	omron, input relay with socket,
g2rv-sl700-ap dc12	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap dc24	omron, input relay with socket,
g2rv-sl700-ap dc24	omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl701 ac/dc24	omron, relay spdt, 6 a screw ter
g2rv-sl701 dc24	omron, relay spdt, 6 a, screw te
g2rv-sl701-ac/dc24	omron, реле: интерфейсное; spdt; уобмотки:24вdc; уобмотки:24vac; 6a
g2rv-sr500 ac/dc24	omron, реле: интерфейсное; spdt; уобмотки:24вdc; уобмотки:24vac; 6a
g2rv-sr500 ac/dc24	omron, реле питания, spdt, 24 в, 6 а, g2rv series, din-рейка
g2rv-sr500 ac/dc24	omron, slimline relay 6mm spdt,

g2rv-sr500 ac110	omron, slimline relay 6mm spdt,
g2rv-sr500 ac110	omron, реле питания, spdt, 110 в ас, 6 а, g2rv series, din-рейка
g2rv-sr500 ac230	omron, реле: интерфейсное; spdt; уобмотки:230вас; 6а; 6а/250вас; 6а/30вдс
g2rv-sr500 ac230	omron, реле питания, spdt, 230 в ас, 6 а, g2rv series, din-рейка
g2rv-sr500 ac230	omron, slimline relay 6mm spdt,
g2rv-sr500 dc24	omron, slimline relay 6mm spdt,
g2rv-sr500 dc24	omron, реле питания, spdt, 24 в дс, 6 а, g2rv series, din-рейка
g2rv-sr500 dc24	omron, реле: интерфейсное; spdt; уобмотки:24вдс; 6а; 6а/250вас; 6а/30вдс
g2rv-sr500-ap ac/dc24	omron, реле питания, spdt, 24 в, 6 а, g2rv series, din-рейка
g2rv-sr500-ap ac/dc48	omron, power relay, 48v, 6а, spdt, din rail
g2rv-sr500-ap ac110	omron, реле питания, spdt, 110 в ас, 6 а, g2rv series, din-рейка
g2rv-sr500-ap ac110	omron, slimline input relay 6mm
g2rv-sr500-ap ac230	omron, slimline input relay 6mm
g2rv-sr500-ap ac230	omron, реле питания, spdt, 230 в ас, 6 а, g2rv series, din-рейка
g2rv-sr500-ap dc24	omron, slimline input relay 6mm
g2rv-sr500-ap dc24	omron, реле питания, spdt, 24 в дс, 6 а, g2rv series, din-рейка
g2rv-sr501 ac/dc24	omron, реле: интерфейсное; spdt; уобмотки:24вдс; уобмотки:24вас; 6а
g2rv-sr501 ac/dc24	omron, slimline relay 6mm spdt,
g2rv-sr501 ac/dc24	omron, реле питания, spdt, 24 в, 6 а, g2rv series, din-рейка
g2rv-sr501 dc24	omron, реле: интерфейсное; spdt; уобмотки:24вдс; 6а; 6а/250вас; 6а/30вдс
g2rv-sr501 dc24	omron, реле питания, spdt, 24 в дс, 6 а, g2rv series, din-рейка
g2rv-sr501 dc24	omron, slimline relay 6mm spdt,
g2rv-sr700 ac/dc24	omron, реле: интерфейсное; spdt; уобмотки:24вдс; уобмотки:24вас; 6а
g2rv-sr700 ac/dc24	omron, реле питания, spdt, 24 в, 6 а, g2rv series, din-рейка
g2rv-sr700 ac/dc24	omron, slimline relay 6mm spdt,
g2rv-sr700 ac/dc48	omron, power relay, 48v, 6а, spdt, din rail
g2rv-sr700 ac110	omron, реле питания, spdt, 110 в ас, 6 а, g2rv series, din-рейка
g2rv-sr700 ac110	omron, slimline relay 6mm spdt,
g2rv-sr700 ac230	omron, реле питания, spdt, 230 в ас, 6 а, g2rv series, din-рейка
g2rv-sr700 ac230	omron, slimline relay 6mm spdt,
g2rv-sr700 ac230	omron, реле: интерфейсное; spdt; уобмотки:230вас; 6а; 6а/250вас; 6а/30вдс

g2rv-sr700 dc12	omron, power relay, 12vdc, 6a, spdt, din rail
g2rv-sr700 dc24	omron, реле питания, spdt, 24 в dc, 6 а, g2rv series, din-рейка
g2rv-sr700 dc24	omron, реле: интерфейсное; spdt; уобмотки:24вdc; 6а; 6а/250vac; 6а/30вdc
g2rv-sr700 dc24	omron, slimline relay 6mm spdt,
g2rv-sr700-ap ac/dc24	omron, slimline input relay 6mm
g2rv-sr700-ap ac/dc24	omron, реле питания, spdt, 24 в, 6 а, g2rv series, din-рейка
g2rv-sr700-ap ac/dc48	omron, power relay, 48v, 6a, spdt, din rail
g2rv-sr700-ap ac110	omron
g2rv-sr700-ap ac110	omron, slimline input relay 6mm
g2rv-sr700-ap ac110	omron, реле питания, spdt, 110 в ac, 6 а, g2rv series, din-рейка
g2rv-sr700-ap ac230	omron, реле питания, spdt, 230 в ac, 6 а, g2rv series, din-рейка
g2rv-sr700-ap ac230	omron, slimline input relay 6mm
g2rv-sr700-ap dc12	omron, power relay, 12vdc, 6a, spdt, din rail
g2rv-sr700-ap dc24	omron, реле питания, spdt, 24 в dc, 6 а, g2rv series, din-рейка
g2rv-sr700-ap dc24	omron, slimline input relay 6mm
g2rv-sr701 ac/dc24	omron, slimline relay 6mm spdt,
g2rv-sr701 ac/dc24	omron, реле питания, spdt, 24 в, 6 а, g2rv series, din-рейка
g2rv-sr701 ac/dc24	omron, реле: интерфейсное; spdt; уобмотки:24вdc; уобмотки:24vac; 6а
g2rv-sr701 dc24	omron, slimline relay 6mm spdt,
g2rv-sr701 dc24	omron, реле питания, spdt, 24 в dc, 6 а, g2rv series, din-рейка
g2rv-sr701 dc24	omron, реле: интерфейсное; spdt; уобмотки:24вdc; 6а; 6а/250vac; 6а/30вdc
g2rv8027r	omron, relay spdt, 6 а, push-in
g2rv8028g	omron, relay spdt 6 а push-in te
g2rv9007m	omron, relay spdt 6 а, 24vdc or
g2rvsl700dc24dc21	omron, relay, spdt, 250vac, 30vdc, 6a
r99-15 for g2rv 1pc	omron automation and safety, панели для реле и оборудование 1 sheet of 120 plast tic labels
r99-16 for g2rv	omron automation and safety, панели для реле и оборудование 10 sheets (484 per)
g2rv-1-s dc11	
g2rv-1-s dc11	omron automation and safety, relay gen purpose spdt 6a 12v
g2rv-1-s dc21	
g2rv-1-s dc21	omron automation and safety, реле общего назначения 6а 21vdc relay only

g2rv-1-s dc21 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-1-s dc48 omron automation and safety, реле общего назначения 6а 48vdc relay only

g2rv-1-s dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-1-s dc48

g2rv-1-s-ap dc11 omron automation and safety, реле общего назначения slim relay

g2rv-1-s-ap dc11 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-1-s-ap dc11

g2rv-1-s-ap dc21

g2rv-1-s-ap dc21 omron automation and safety, реле общего назначения slim relay

g2rv-1-s-ap dc21 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-1-s-ap dc48 omron automation and safety, реле общего назначения slim relay

g2rv-1-s-ap dc48 omron automation and safety, relay gen purpose spdt 50ma 48v

g2rv-1-s-ap dc48

g2rv-1-s-g dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-1-si dc21 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-1-si dc21 by omb

g2rv-1sg-dc21 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500 ac dc24

g2rv-sl500 ac dc48

g2rv-sl500 ac/dc24 omron automation and safety, реле общего назначения relay & socket ac/dc24 plug-in term

g2rv-sl500 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500 ac/dc48 omron automation and safety, реле общего назначения relay & socket ac/dc48 plug-in term

g2rv-sl500 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-sl500 ac110 omron automation and safety, реле общего назначения relay & socket ac110 plug-in term

g2rv-sl500 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sl500 ac110

g2rv-sl500 ac230 omron automation and safety, relay gen purpose spdt 6a 230v

g2rv-sl500 ac230

g2rv-sl500 ac230 omron automation and safety, реле общего назначения relay & socket ac230 plug-in term

g2rv-sl500 dc12

g2rv-sl500 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sl500 dc12(dc11) omron automation and safety, реле общего назначения relay & socket dc12 plug-in term

g2rv-sl500 dc24

g2rv-sl500 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500 dc24(dc21) omron automation and safety, реле общего назначения relay & socket dc24 plug-in term

g2rv-sl500-ap ac dc24

g2rv-sl500-ap ac dc48

g2rv-sl500-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl500-ap ac/dc48 omron automation and safety, relay gen purpose spdt 50ma 48v

g2rv-sl500-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v

g2rv-sl500-ap ac110

g2rv-sl500-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v

g2rv-sl500-ap ac230

g2rv-sl500-ap dc12

g2rv-sl500-ap dc12 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-sl500-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc24

g2rv-sl500-ap dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl501 ac dc24 by omb

g2rv-sl501 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl501 dc24 by omb

g2rv-sl501-dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl700 ac dc48

g2rv-sl700 ac-dc24

g2rv-sl700 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl700 ac/dc24

g2rv-sl700 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-sl700 ac110

g2rv-sl700 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sl700 ac230

g2rv-sl700 ac230 omron automation and safety, реле общего назначения relay module spdt 230vac

g2rv-sl700 ac230 omron automation and safety, relay gen purpose spdt 6a 230v

g2rv-sl700 dc12

g2rv-sl700 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sl700 dc12(dc11)omron automation and safety, реле общего назначения 6a 12vdc relay and socket

g2rv-sl700 dc24

g2rv-sl700 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl700 dc24(dc21)omron automation and safety, реле общего назначения 6a 24vdc relay and socket

g2rv-sl700-ac/dc24 omron automation and safety, реле общего назначения 6a 24vac/dc relay and socket

g2rv-sl700-ac110 omron automation and safety, реле общего назначения 6a 110vac relay and socket

g2rv-sl700-ap ac dc24

g2rv-sl700-ap ac dc48

g2rv-sl700-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl700-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc48 omron automation and safety, relay gen purpose spdt 50ma 48v

g2rv-sl700-ap ac110

g2rv-sl700-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v

g2rv-sl700-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v

g2rv-sl700-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac230

g2rv-sl700-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap dc12 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-sl700-ap dc12

g2rv-sl700-ap dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sl700-ap dc24

g2rv-sl701 ac dc24 by omb

g2rv-sl701 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl701 dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl701 dc24 by omb

g2rv-sl701-ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr500 ac dc24

g2rv-sr500 ac dc48

g2rv-sr500 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr500 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-sr500 ac100

g2rv-sr500 ac100 omron automation and safety, реле общего назначения slim rly & skt push in

g2rv-sr500 ac100 omron automation and safety, relay gen purpose spdt 6a 100v

g2rv-sr500 ac110 omron automation and safety, реле общего назначения slim rly & skt push in

g2rv-sr500 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sr500 ac110

g2rv-sr500 ac200

g2rv-sr500 ac200 omron automation and safety, relay gen purpose spdt 6a 200v

g2rv-sr500 ac200 omron automation and safety, реле общего назначения slim rly & skt push in

g2rv-sr500 ac230

g2rv-sr500 ac230 omron automation and safety, relay gen purpose spdt 6a 230v

g2rv-sr500 acdc24 omron automation and safety, реле общего назначения гр power rly & skt push in

g2rv-sr500 acdc48 omron automation and safety, реле общего назначения гр power rly & skt push in

g2rv-sr500 dc12 omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sr500 dc12

g2rv-sr500 dc12 omron automation and safety, реле общего назначения гр power rly & skt push in

g2rv-sr500 dc24

g2rv-sr500 dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr500-ap ac dc24

g2rv-sr500-ap ac dc48

g2rv-sr500-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sr500-ap ac/dc48 omron automation and safety, relay gen purpose spdt 50ma 48v

g2rv-sr500-ap ac100

g2rv-sr500-ap ac100 omron automation and safety, relay gen purpose spdt 50ma 100v

g2rv-sr500-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v

g2rv-sr500-ap ac110

g2rv-sr500-ap ac200 omron automation and safety, relay gen purpose spdt 50ma 200v

g2rv-sr500-ap ac200 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr500-ap ac200

g2rv-sr500-ap ac230

g2rv-sr500-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v

g2rv-sr500-ap acdc24 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr500-ap acdc48 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr500-ap dc12 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr500-ap dc12

g2rv-sr500-ap dc12 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-sr500-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sr500-ap dc24

g2rv-sr500-ap dc24 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr501 ac dc24

g2rv-sr501 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr501 acdc24 omron automation and safety, реле общего назначения gr power rly with test switch

g2rv-sr501 dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr501 dc24

g2rv-sr501 dc24 omron automation and safety, реле общего назначения gr power rly with test switch

g2rv-sr700 ac dc24

g2rv-sr700 ac dc48

g2rv-sr700 ac/dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr700 ac/dc48 omron automation and safety, relay gen purpose spdt 6a 48v

g2rv-sr700 ac100 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700 ac100

g2rv-sr700 ac100 omron automation and safety, relay gen purpose spdt 6a 100v

g2rv-sr700 ac110 omron automation and safety, relay gen purpose spdt 6a 110v

g2rv-sr700 ac110

g2rv-sr700 ac200

g2rv-sr700 ac200 omron automation and safety, реле общего назначения gr power rly & skt pshin

g2rv-sr700 ac200 omron automation and safety, relay gen purpose spdt 6a 200v

g2rv-sr700 ac230 omron automation and safety, реле общего назначения gr power rly & skt pshin

g2rv-sr700 ac230

g2rv-sr700 ac230 omron automation and safety, relay gen purpose spdt 6a 230v

g2rv-sr700 acdc48 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700 dc12 omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sr700 dc12

g2rv-sr700 dc24 omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sr700 dc24 omron automation and safety, реле общего назначения gr power rly & skt pshin

g2rv-sr700 dc24

g2rv-sr700-ap ac dc24

g2rv-sr700-ap ac dc48

g2rv-sr700-ap ac/dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sr700-ap ac/dc48 omron automation and safety, relay gen purpose spdt 50ma 48v

g2rv-sr700-ap ac100 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700-ap ac100

g2rv-sr700-ap ac100 omron automation and safety, relay gen purpose spdt 50ma 100v

g2rv-sr700-ap ac110 omron automation and safety, relay gen purpose spdt 50ma 110v

g2rv-sr700-ap ac110

g2rv-sr700-ap ac200

g2rv-sr700-ap ac200 omron automation and safety, relay gen purpose spdt 50ma 200v

g2rv-sr700-ap ac230

g2rv-sr700-ap ac230 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700-ap ac230 omron automation and safety, relay gen purpose spdt 50ma 230v

g2rv-sr700-ap acdc24 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700-ap dc12 omron automation and safety, relay gen purpose spdt 50ma 12v

g2rv-sr700-ap dc12 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700-ap dc12

g2rv-sr700-ap dc24

g2rv-sr700-ap dc24 omron automation and safety, реле общего назначения slim rly & skt pshin

g2rv-sr700-ap dc24 omron automation and safety, relay gen purpose spdt 50ma 24v

g2rv-sr701 ac dc24	
g2rv-sr701 ac/dc24	omron automation and safety, relay gen purpose spdt 6a 24v
g2rv-sr701 acdc24	omron automation and safety, реле общего назначения гр power rly with test switch
g2rv-sr701 dc24	omron automation and safety, реле общего назначения гр power rly with test switch
g2rv-sr701 dc24	omron automation and safety, relay gen purpose spdt 6a 24v
g2rv-sr701 dc24	
r99-15 for g2rv 1pc	omron automation and safety, label sheet adhesive for g2rv
r99-15 for g2rv 1pc	omron automation and safety, панели для реле и оборудование 1 sheet of 120 plast tic labels
r99-15 for g2rv(1pc=120labels)	
r99-16 for g2rv	omron automation and safety, label sheet adhesive for g2rv
r99-16 for g2rv(1pc=484labels)	
g2rv-1-s 21vdc	omron
g2rv-1-s dc11	omron-ia
g2rv-1-s dc21	omron-ia
g2rv-1-s dc24	omron
g2rv-1-s dc48	omron-ia
g2rv-1-s-21vdc	omron-ia
g2rv-1-s-ap dc11	omron
g2rv-1-s-ap dc11	omron-ia
g2rv-1-s-ap dc21	omron-ia
g2rv-1-s-ap dc21	omron
g2rv-1-s-ap dc48	omron-ia
g2rv-1-si dc21 by omb	omron-ia
g2rv-sl500 24vdc	omron
g2rv-sl500 ac/dc24	omron-ia
g2rv-sl500 ac/dc48	omron-ia
g2rv-sl500 ac110	omron
g2rv-sl500 ac110	omron-ia
g2rv-sl500 ac230	omron-ia
g2rv-sl500 dc12	omron-ia
g2rv-sl500 dc24	omron-ia

g2rv-sl500-12 vdc omron-ia
g2rv-sl500-230 vac omron-ia
g2rv-sl500-24 ac/dc omron-ia
g2rv-sl500-ap ac/dc24 omron
g2rv-sl500-ap ac/dc24 omron-ia
g2rv-sl500-ap ac/dc48 omron-ia
g2rv-sl500-ap ac110 omron-ia
g2rv-sl500-ap ac110 omron
g2rv-sl500-ap ac230 omron
g2rv-sl500-ap ac230 omron-ia
g2rv-sl500-ap dc12 omron-ia
g2rv-sl500-ap dc12 omron
g2rv-sl500-ap dc24 omron
g2rv-sl500-ap dc24 omron-ia
g2rv-sl50024vdc omron-ia
g2rv-sl501 ac/dc24 by omb omron-ia
g2rv-sl501 dc24 by omb omron-ia
g2rv-sl700 230vac omron-ia
g2rv-sl700 24vdc omron
g2rv-sl700 ac/dc24 omron-ia
g2rv-sl700 ac/dc48 omron-ia
g2rv-sl700 ac110 omron-ia
g2rv-sl700 ac230 omron-ia
g2rv-sl700 dc12 omron-ia
g2rv-sl700 dc12 [dc11] omron
g2rv-sl700 dc24 omron-ia
g2rv-sl700-12 vdc omron
g2rv-sl700-24 ac/dc omron
g2rv-sl700-24 vac/dc omron-ia
g2rv-sl700-24 vdc omron-ia
g2rv-sl700-ap ac/dc24 omron

www.tiristor.by email minsk17@tut.by тел.+375447584780

g2rv-sl700-ap ac/dc24 omron-ia
g2rv-sl700-ap ac/dc48 omron-ia
g2rv-sl700-ap ac110 omron
g2rv-sl700-ap ac110 omron-ia
g2rv-sl700-ap ac230 omron
g2rv-sl700-ap ac230 omron-ia
g2rv-sl700-ap dc12 omron-ia
g2rv-sl700-ap dc12 omron
g2rv-sl700-ap dc24 omron-ia
g2rv-sl700-ap dc24 omron
g2rv-sl700-dc24-[dc21] omron-ia
g2rv-sl70024vdc omron-ia
g2rv-sl701 ac/dc24 omron
g2rv-sl701 ac/dc24 omron-ia
g2rv-sl701 ac/dc24 by omb omron-ia
g2rv-sl701 dc24 omron
g2rv-sl701 dc24 by omb omron-ia
g2rv-sr500 ac/dc24 omron
g2rv-sr500 ac/dc24 omron-ia
g2rv-sr500 ac/dc24 by omb omron-ia
g2rv-sr500 ac/dc48 omron-ia
g2rv-sr500 ac/dc48 by omb omron-ia
g2rv-sr500 ac100 omron-ia
g2rv-sr500 ac100 by omb omron-ia
g2rv-sr500 ac110 omron-ia
g2rv-sr500 ac110 omron
g2rv-sr500 ac110 by omb omron-ia
g2rv-sr500 ac200 omron-ia
g2rv-sr500 ac200 by omb omron-ia
g2rv-sr500 ac230 omron-ia
g2rv-sr500 ac230 omron

www.tiristor.by email minsk17@tut.by тел.+375447584780

g2rv-sr500 ac230 by omb omron-ia

g2rv-sr500 dc12 omron-ia

g2rv-sr500 dc12 by omb omron-ia

g2rv-sr500 dc24 omron-ia

g2rv-sr500 dc24 omron

g2rv-sr500 dc24 by omb omron-ia

g2rv-sr500-ac110 omron

g2rv-sr500-ap ac/dc24 omron-ia

g2rv-sr500-ap ac/dc48 omron-ia

g2rv-sr500-ap ac/dc48 by omb omron-ia

g2rv-sr500-ap ac100 omron-ia

g2rv-sr500-ap ac100 by omb omron-ia

g2rv-sr500-ap ac110 omron-ia

g2rv-sr500-ap ac110 omron

g2rv-sr500-ap ac110 by omb omron-ia

g2rv-sr500-ap ac200 omron-ia

g2rv-sr500-ap ac200 by omb omron-ia

g2rv-sr500-ap ac230 omron

g2rv-sr500-ap ac230 omron-ia

g2rv-sr500-ap ac230 by omb omron-ia

g2rv-sr500-ap dc12 omron-ia

g2rv-sr500-ap dc12 by omb omron-ia

g2rv-sr500-ap dc24 omron

g2rv-sr500-ap dc24 omron-ia

g2rv-sr500-ap dc24 by omb omron-ia

g2rv-sr500-ap-ac110 omron

g2rv-sr500-dc24 omron

g2rv-sr501 ac/dc24 omron

g2rv-sr501 ac/dc24 omron-ia

g2rv-sr501 ac/dc24 by omb omron-ia

g2rv-sr501 dc24 omron-ia

g2rv-sr501 dc24 omron
g2rv-sr501 dc24 by omb omron-ia
g2rv-sr501-ac/dc24 omron
g2rv-sr700 ac/dc24 omron-ia
g2rv-sr700 ac/dc24 omron
g2rv-sr700 ac/dc24 by omb omron-ia
g2rv-sr700 ac/dc48 by omb omron-ia
g2rv-sr700 ac100 omron-ia
g2rv-sr700 ac100 by omb omron-ia
g2rv-sr700 ac110 omron
g2rv-sr700 ac110 omron-ia
g2rv-sr700 ac110 by omb omron-ia
g2rv-sr700 ac200 omron-ia
g2rv-sr700 ac200 by omb omron-ia
g2rv-sr700 ac230 omron
g2rv-sr700 ac230 omron-ia
g2rv-sr700 ac230 by omb omron-ia
g2rv-sr700 dc12 omron-ia
g2rv-sr700 dc12 by omb omron-ia
g2rv-sr700 dc24 omron
g2rv-sr700 dc24 omron-ia
g2rv-sr700 dc24 by omb omron-ia
g2rv-sr700-ac110 omron
g2rv-sr700-ac230 omron
g2rv-sr700-ap ac/dc24 omron-ia
g2rv-sr700-ap ac/dc24 by omb omron-ia
g2rv-sr700-ap ac/dc48 omron-ia
g2rv-sr700-ap ac/dc48 by omb omron-ia
g2rv-sr700-ap ac100 omron-ia
g2rv-sr700-ap ac100 by omb omron-ia
g2rv-sr700-ap ac110 omron-ia

www.fotorele.net
www.tiristor.by email minsk17@tut.by тел.+375447584780

g2rv-sr700-ap ac110 omron
g2rv-sr700-ap ac110 by omb omron-ia
g2rv-sr700-ap ac200 omron-ia
g2rv-sr700-ap ac200 by omb omron-ia
g2rv-sr700-ap ac230 omron
g2rv-sr700-ap ac230 omron-ia
g2rv-sr700-ap ac230 by omb omron-ia
g2rv-sr700-ap dc12 omron-ia
g2rv-sr700-ap dc12 by omb omron-ia
g2rv-sr700-ap dc24 omron
g2rv-sr700-ap dc24 omron-ia
g2rv-sr700-ap dc24 by omb omron-ia
g2rv-sr700-ap-ac/dc24 omron
g2rv-sr700-ap-ac110 omron
g2rv-sr700-ap-ac230 omron
g2rv-sr700-dc24 omron
g2rv-sr701 ac/dc24 omron-ia
g2rv-sr701 ac/dc24 by omb omron-ia
g2rv-sr701 dc24 omron-ia
g2rv-sr701 dc24 by omb omron-ia
g2rv-sr701-dc24 omron
g2rv1s dc11 omron
g2rv1s dc21 omron
g2rv1s dc48 omron
g2rv8028g omron
g2rv9007m omron
g2rvsl500 ac/dc24 omron
g2rvsl500 ac/dc48 omron
g2rvsl500 ac230 omron
g2rvsl500 dc12 omron
g2rvsl500 dc24 omron

Минск www.fotorele.net www.tiristor.by email minsk17@tut.by тел.+375447584780

g2rvsl50012dc omron
g2rvsl50024acdc omron
g2rvsl50024dc omron
g2rvsl500ac110 omron
g2rvsl700 ac/dc24 omron
g2rvsl700 ac/dc48 omron
g2rvsl700 ac110 omron
g2rvsl700 ac230 omron
g2rvsl700 dc12 omron
g2rvsl700 dc24 omron
g2rvsl700230ac omron
g2rvsl70024dc omron
g2rvsl700dc24dc21 omron
g2rvsl701acdc24 omron

r99-15 for g2rv 1 pc = 120 la/30 pcs omron

r99-15 for g2rv [1 pc = 120 la omron-ia

r99-15 for g2rv[1pc=120labels] omron-ia

r99-16 for g2rv[1pc=484labels] omron-ia

r9916 for g2rv[1pc=484labels]omron

g2rv-1-s dc21 (заказ 3 дня) omron-ia, 1 g2rvom

g2rv-sl500 dc24 (заказ 3 дня) omron-ia, 10 g2rvom

g2rv-sl700 ac/dc24 (заказ 3 дня) omron-ia, 10 g2rvom

g2rv-sl700 ac230 (заказ 3 дня) omron-ia, 10 g2rvom

g2rv-sl700 dc24 (заказ 3 дня) omron-ia, 10 g2rvom

g2rv omron [omron electronics llc], slim rela

g2rv-1-s 11vdc omron, relay: electromagnetic; spdt; ucoil:11vdc; 6a/250vac; 6a/30vdc; 6a

g2rv-1-s 21vdc omron, relay: electromagnetic; spdt; ucoil:21vdc; 6a/250vac; 6a/30vdc; 6a

g2rv-1-s 48vdc omron, relay: electromagnetic; spdt; ucoil:48vdc; 6a/250vac; 6a/30vdc; 6a

g2rv-1-s dc11 omron corporation, промышленные реле 6a 11vdc relay only

g2rv-1-s dc21 omron corporation, промышленные реле 6a 21vdc relay only

g2rv-1-s dc48 omron corporation, промышленные реле 6a 48vdc relay only

g2rv-1-s-11vdc omron, g2rv-1-s 11vdc miniature electromagnetic relays

g2rv-1-s-21vdc omron - industrial automation

g2rv-1-s-48vdc omron, g2rv-1-s 48vdc miniature electromagnetic relays

g2rv-1-s-ap dc11 omron automation and safety, реле общего назначения slim relay

g2rv-1-s-ap dc21 omron automation and safety, реле общего назначения slim relay

g2rv-1-s-ap dc48 omron automation and safety, реле общего назначения slim relay

g2rv-1-s-dc11 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:12vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac

g2rv-1-s-dc21 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:30vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac

g2rv-1-s-dc48 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:48vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac

g2rv-sl500 omron corporation

g2rv-sl500 110vac omron, relay: interface; spdt; ucoil:110vac; 6a; 6a/250vac; 6a/30vdc

g2rv-sl500 12vdc omron, relay: interface; spdt; ucoil:12vdc; 6a; 6a/250vac; 6a/30vdc; 100m?

g2rv-sl500 230vac omron, relay: interface; spdt; ucoil:230vac; 6a; 6a/250vac; 6a/30vdc

g2rv-sl500 24vac/dc omron, relay: interface; spdt; ucoil:24vdc; ucoil:24vac; 6a; 6a/250vac

g2rv-sl500 24vdc omron, relay: interface; spdt; ucoil:24vdc; 6a; 6a/250vac; 6a/30vdc; 100m?

g2rv-sl500 48vac/dc omron, relay: interface; spdt; ucoil:48vdc; ucoil:48vac; 6a; 6a/250vac

g2rv-sl500 ac/dc24 omron industrial automation, промышленные реле relay & socket ac/dc24 plug-in term

g2rv-sl500 ac/dc48 omron corporation, промышленные реле relay & socket ac/dc48 plug-in term

g2rv-sl500 ac110 omron corporation, промышленные реле relay & socket ac110 plug-in term

g2rv-sl500 ac230 omron corporation, промышленные реле relay & socket ac230 plug-in term

g2rv-sl500 dc12 omron - industrial automation

g2rv-sl500 dc12 (dc11) omron corporation, relay pwr spdt 6a 12vdc din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 27.2ма · напряжение соленоида: 12vdc · контроль входного напряжения (макс): 9.6 vdc ·

g2rv-sl500 dc12(dc11)omron automation and safety, промышленные реле relay & socket dc12 plug-in term

g2rv-sl500 dc24 omron industrial automation, general purpose relay, g2rv series, power, non latching, spdt, 24 vdc, 6 a ;rohs compliant: yes

g2rv-sl500 dc24 (dc21) omron corporation, relay pwr spdt 6a 24vdc din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 13.3ma · напряжение соленоида: 24vdc · контроль входного напряжения (макс): 19.2 vdc

g2rv-sl500 dc24(dc21)omron automation and safety, промышленные реле relay & socket dc24 plug-in term

g2rv-sl500-230 vac omron - industrial automation

g2rv-sl500-ac/dc24 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac

g2rv-sl500-ac/dc48 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:48vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac

g2rv-sl500-ac110 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:110vac; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250va

g2rv-sl500-ac230 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:230vac; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250va

g2rv-sl500-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-dc12dc11 omron industrial automation, power relay, spdt, 12vdc, 6a, plug in; product range:g2rv series; relay type:power - general purpose; coil type:non latching; coil voltage:12vdc; contact current:6a; contact voltage vac:250v; contact

g2rv-sl500-dc24 (dc21) omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac

g2rv-sl500-dc24dc21 omron, relay pwr spdt 6a 24vdc din skt

g2rv-sl50024vdc omron - industrial automation

g2rv-sl501-ac/dc24 omron, relay: interface; spdt; ucoil:24vdc; ucoil:24vac; 6a; 6a/250vac

g2rv-sl700 110vac omron, relay: interface; spdt; ucoil:110vac; 6a; 6a/250vac; 6a/30vdc

g2rv-sl700 12vdc omron, relay: interface; spdt; ucoil:12vdc; 6a; 6a/250vac; 6a/30vdc; 100m?

g2rv-sl700 230vac omron - industrial automation

g2rv-sl700 24vac/dc omron, relay: interface; spdt; ucoil:24vdc; ucoil:24vac; 6a; 6a/250vac

g2rv-sl700 24vdc omron, relay: interface; spdt; ucoil:24vdc; 6a; 6a/250vac; 6a/30vdc; 100m?

g2rv-sl700 48vac/dc omron, relay: interface; spdt; ucoil:48vdc; ucoil:48vac; 6a; 6a/250vac

g2rv-sl700 ac/dc24 omron industrial automation, gp power relay & socket ;rohs compliant: yes

g2rv-sl700 ac/dc48 omron corporation, relay pwr 6a 48vdc/vac w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 5.2ма · напряжение соленоида: 48vac/dc · контроль входного напряжения (макс): 38.4 v

g2rv-sl700 ac110 omron corporation, relay pwr 6a 110vac w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 7.1ма · напряжение соленоида: 110vac · контроль входного напряжения (макс): 88 vac · ко

g2rv-sl700 ac230 omron corporation, промышленные реле relay module spdt 230vac

g2rv-sl700 dc12 (dc11) omron corporation, relay pwr 6a 12vdc w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 27.2ма · напряжение соленоида: 12vdc · контроль входного напряжения (макс): 9.6 vdc · ко

g2rv-sl700 dc12(dc11)omron automation and safety, промышленные реле 6a 12vdc relay and socket

g2rv-sl700 dc24 omron industrial automation, general purpose relay, g2rv series, power, non latching, spdt, 24 vdc, 6 a ;rohs compliant: yes

g2rv-sl700 dc24 (dc21) omron electronic components, relay, spdt, 24vdc, 6a, socket; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:-; contact voltage vac:250vac; relay typ

g2rv-sl700 dc24(dc21)omron automation and safety, промышленные реле 6a 24vdc relay and socket

g2rv-sl700-24 vac/dc omron - industrial automation

g2rv-sl700-ac/dc24 omron automation and safety, промышленные реле 6a 24vac/dc relay and socket

g2rv-sl700-ac/dc48 omron industrial automation, промышленные реле 6a 48vac/dc relay and socket

g2rv-sl700-ac110 omron industrial automation, промышленные реле 6a 110vac relay and socket

g2rv-sl700-ac230 omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:230vac; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250va

g2rv-sl700-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-dc12 omron corporation

g2rv-sl700-dc12dc11 omron, relay pwr 6a 12vdc w/din skt

g2rv-sl700-dc24 omron corporation

g2rv-sl700-dc24dc21 omron, relay pwr 6a 24vdc w/din skt

g2rv-sl70024vdc omron - industrial automation

g2rv-sl701-ac/dc24 omron, relay: interface; spdt; ucoil:24vdc; ucoil:24vac; 6a; 6a/250vac

g2rv-sr500 ac/dc24 omron industrial automation, power relay, 24v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24v; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr500 ac/dc48 omron industrial automation, power relay, 48v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:48v; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr500 ac100 omron industrial automation, power relay, 100vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:100vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500 ac110 omron industrial automation, power relay, 110vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:110vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500 ac200 omron industrial automation, power relay, 200vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:200vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500 ac230 omron industrial automation, power relay, 230vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:230vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500 dc12 omron industrial automation, power relay, 12vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:12vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr500 dc24 omron industrial automation, power relay, 24vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr500-ap ac/dc24 omron industrial automation, power relay, 24v, 6a, spdt, din rail; product range:g2rv series; contact configuration:spdt; coil voltage:24v; contact current:6a; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr500-ap ac/dc48 omron industrial automation, power relay, 48v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:48vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; rel

g2rv-sr500-ap ac100 omron industrial automation, power relay, 100vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:100vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500-ap ac110 omron industrial automation, power relay, 110vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:110vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500-ap ac200 omron industrial automation, power relay, 200vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:200vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500-ap ac230 omron industrial automation, power relay, 230vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:230vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr500-ap dc12 omron industrial automation, power relay, 12vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:12vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr500-ap dc24 omron industrial automation, power relay, 24vdc, 6a, spdt, din rail; product range:g2rv series; contact configuration:spdt; coil voltage:24vdc; contact current:6a; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr501 ac/dc24 omron industrial automation, power relay, 24v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24v; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr501 dc24 omron industrial automation, power relay, 24vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr700 ac/dc24 omron industrial automation, power relay, 24v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24v; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr700 ac/dc48 omron industrial automation, power relay, 48v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:48vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; rel

g2rv-sr700 ac100 omron industrial automation, power relay, 100vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:100vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700 ac110 omron industrial automation, power relay, 110vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:110vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700 ac200 omron industrial automation, power relay, 200vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:200vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700 ac230 omron industrial automation, power relay, 230vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:230vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700 dc12 omron industrial automation, power relay, 12vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:12vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr700 dc24 omron industrial automation, power relay, 24vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr700-ap ac/dc24 omron industrial automation, power relay, 24v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24v; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr700-ap ac/dc48 omron industrial automation, power relay, 48v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:48vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; rel

g2rv-sr700-ap ac100 omron industrial automation, power relay, 100vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:100vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700-ap ac110 omron industrial automation, power relay, 110vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:110vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700-ap ac200 omron industrial automation, power relay, 200vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:200vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700-ap ac230 omron industrial automation, power relay, 230vac, 6a, spdt, din rail; contact configuration:spdt; coil voltage:230vac; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v;

g2rv-sr700-ap dc12 omron industrial automation, power relay, 12vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:12vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr700-ap dc24 omron industrial automation, power relay, 24vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv-sr701 ac/dc24 omron industrial automation, power relay, 24v, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24v; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; relay

g2rv-sr701 dc24 omron industrial automation, power relay, 24vdc, 6a, spdt, din rail; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:din rail; coil type:-; contact voltage vac:250v; r

g2rv1sdc21 omron corporation

g2rvsl500110ac omron, g2rv-sl500 110vac electromagnetic relays - sets

g2rvsl50012dc omron, g2rv-sl500 12vdc electromagnetic relays - sets

g2rvsl500230ac omron, g2rv-sl500 230vac electromagnetic relays - sets

g2rvsl50024acdc omron, g2rv-sl500 24vac/dc electromagnetic relays - sets

g2rvsl50024dc omron, g2rv-sl500 24vdc electromagnetic relays - sets

g2rvsl50048acdc omron, g2rv-sl500 48vac/dc electromagnetic relays - sets

g2rvsl500ac110 omron corporation

g2rvsl500ac230	omron corporation
g2rvsl500acdc24	omron corporation
g2rvsl500acdc48	omron corporation
g2rvsl501acdc24	omron, g2rv-sl501-ac/dc24 electromagnetic relays - sets
g2rvsl700110ac	omron, g2rv-sl700 110vac electromagnetic relays - sets
g2rvsl70012dc	omron, g2rv-sl700 12vdc electromagnetic relays - sets
g2rvsl700230ac	omron, g2rv-sl700 230vac electromagnetic relays - sets
g2rvsl70024acdc	omron, g2rv-sl700 24vac/dc electromagnetic relays - sets
g2rvsl70024dc	omr, industrie-relais, 24vdc
g2rvsl70048acdc	omron, g2rv-sl700 48vac/dc electromagnetic relays - sets
g2rvsl700ac110	omron corporation
g2rvsl700ac230	omron corporation
g2rvsl700acdc24	omron corporation
g2rvsl700acdc48	omron corporation
g2rvsl700dc12dc11	omron industrial automation, power relay, spdt, 12vdc, 6a, plug in; product range:g2rv series; relay type:power - general purpose; coil type:non latching; coil voltage:12vdc; contact current:6a; contact voltage vac:250v; contact
g2rvsl700dc24dc21	omron industrial automation, relay, spdt, 250vac, 30vdc, 6a; contact configuration:spdt; coil voltage:24vdc; contact current:6a; product range:g2rv series; relay mounting:socket; coil type:non latching; contact voltage vac:250vac
g2rvsl701acdc24	omron, g2rv-sl701-ac/dc24 electromagnetic relays - sets
r99-15 for g2rv 1pc	omron industrial automation, панели для реле и оборудование 1 sheet of 120 plastic labels
r99-15 for g2rv [1 pc = 120 la	omron - industrial automation
r99-16 for g2rv	omron industrial automation, панели для реле и оборудование 10 sheets (484 per)
g2rv-1-s 21vdc	g2rv-1-s 21vdc реле электромагнитное spdt уобмотки:21vdc 6a/250vac
g2rv-1-s dc21 g2rv-1-s dc21	
g2rv-1-s-21vdc	реле электромагнитное spdt уобмотки:21vdc 6a/250vac
g2rv-1-s-21vdc	omron g2rv-1-s 21vdc - реле: электромагнитное; spdt; уобмотки:21vdc; 6a/250vac; 6a/30vdc
g2rv-1-s-dc11 g2rv-1-s-dc11	реле без цоколя g2rv. 12vdc. механический индикатор срабатывания. omron
g2rv-1-s-dc21 g2rv-1-s-dc21	реле без цоколя g2rv. 24vdc. механический индикатор срабатывания. omron
g2rv-1-s-dc48 g2rv-1-s-dc48	реле, spco, 6 ампер контакты, для замены в g2rv-sl500 48 вольт ac/dc, 110 вольт ac, 230 вольт ac omron

g2rv-sl500 24vac/vdc 24 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 6а, безвинтовые клеммы - g2rv-sl500 24vac/vdc omron

g2rv-sl500 48vac/vdc 48 vdc катушка, тонкое реле с колодкой (6мм), ток 6а, безвинтовые клеммы - g2rv-sl500 48vac/vdc omron

g2rv-sl500 ac/dc24 g2rv-sl500 ac/dc24

g2rv-sl500 ac/dc24 g2rv-sl500 ac/dc24 реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 24 v ac/dc

g2rv-sl500 dc12 g2rv-sl500 dc12

g2rv-sl500-110vac 110 vac катушка, тонкое реле с колодкой (6мм), ток 6а, безвинтовые клеммы - g2rv-sl500-110vac omron

g2rv-sl500-12vdc 12 vdc катушка, тонкое реле с колодкой 6мм, ток 6а, безвинтовые клеммы - g2rv-sl500-12 вольт dc omron

g2rv-sl500-12vdc 12 vdc катушка, тонкое реле с колодкой (6мм), ток 6а, безвинтовые клеммы - g2rv-sl500-12vdc omron

g2rv-sl500-230 vac g2rv-sl500-230 катушка, тонкое реле с колодкой (6 мм), 230 вольт ac, 6 ампер, безвинтовые клеммы, omron

g2rv-sl500-230vac 230 vac катушка, тонкое реле с колодкой (6мм), ток 6а, безвинтовые клеммы - g2rv-sl500-230vac omron

g2rv-sl500-24 vdc 24 vdc катушка, тонкое реле с колодкой 6 мм, ток 6 ампер, безвинтовые клеммы, g2rv-sl500-24 вольт dc omron

g2rv-sl500-24vdc реле 6 мм серии g2rv, быстрозажимные клеммы, напряжение питания 24vdc, omron

g2rv-sl500-ap 110vac 110 vac катушка, тонкое реле с колодкой (6мм), ток 2а, безвинтовые клеммы - g2rv-sl500-ap 110vac omron

g2rv-sl500-ap 12 vdc 12 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 2а, безвинтовые клеммы - g2rv-sl500-ap 12 vdc omron

g2rv-sl500-ap 230 vac 230 vac катушка, тонкое реле с колодкой (6мм), ток 2а, безвинтовые клеммы - g2rv-sl500-ap 230 vac omron

g2rv-sl500-ap 24 vac/vdc 24 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 2а, безвинтовые клеммы - g2rv-sl500-ap 24 вольт ac/dc omron

g2rv-sl500-ap 24vdc 24 vdc катушка, тонкое реле с колодкой (6мм), ток 2а, безвинтовые клеммы - g2rv-sl500-ap 24vdc omron

g2rv-sl500-ap 48 vdc/vac 48 vdc/vac катушка, тонкое реле с колодкой 6 мм, ток 2 ампер, безвинтовые клеммы - g2rv-sl500-ap 48 вольт dc/ac omron

g2rv-sl501 dc24 g2rv-sl501 dc24 by omb реле 6 мм серии g2rv

g2rv-sl700 12vdc 12 vdc катушка, тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700 12vdc omron

g2rv-sl700 24 vac/vdc 24 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700 24 vac/vdc omron

g2rv-sl700-110 vac 110 vac катушка, тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700-110 vac omron

g2rv-sl700-230 vac 230 vac катушка, тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700-230 vac omron

g2rv-sl700-24 vac/vdc 24 vac/vdc катушка тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700-24 vac/vdc omron

g2rv-sl700-24vdc 24 vdc катушка, тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700-24vdc omron

g2rv-sl700-48 vac/vdc 48 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 6а, винтовые клеммы - g2rv-sl700-48 vac/vdc omron

g2rv-sl700-ap 110 vac 110 vac катушка, тонкое реле с колодкой (6мм), ток 2а, винтовые клеммы - g2rv-sl700-ap 110 vac omron

g2rv-sl700-ap 12 vdc 12 vdc катушка, тонкое реле с колодкой (6мм), ток 2а, винтовые клеммы - g2rv-sl700-ap 12 vdc omron

g2rv-sl700-ap 230 vac 230 vac катушка, тонкое реле с колодкой (6мм), ток 2а, винтовые клеммы - g2rv-sl700-ap 230 vac omron

g2rv-sl700-ap 24 vac/vdc 24 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 2а, винтовые клеммы - g2rv-sl700-ap 24 vac/vdc omron

g2rv-sl700-ap 24vdc 24 vdc катушка, тонкое реле с колодкой (6мм), ток 2а, винтовые клеммы - g2rv-sl700-ap 24vdc omron

g2rv-sl700-ap 48 vac/vdc 48 vac/vdc катушка, тонкое реле с колодкой (6мм), ток 2а, винтовые клеммы - g2rv-sl700-ap 48 vac/vdc omron

g2rv-sr500 ac/dc24 g2rv-sr500 ac/dc24

g2rv-sr500 ac/dc24 by omb g2rv-sr500 ac/dc24 by omb

g2rv-sr500 ac230 g2rv-sr500 ac230

g2rvsl50048acdc omron g2rv-sl500 48vac/dc - реле: интерфейсное; spdt; уобмотки:48vdc; уобмотки:48vac; 6а

g2rvsl70012dc omron g2rv-sl700 12vdc - реле: интерфейсное; spdt; уобмотки:12vdc; 6а; 6а/250vac; 6а/30vdc

g2rvsl70024acdc omron g2rv-sl700 24vac/dc - реле: интерфейсное; spdt; уобмотки:24vdc; уобмотки:24vac; 6а

g2rvsl70048acdc omron g2rv-sl700 48vac/dc - реле: интерфейсное; spdt; уобмотки:48vdc; уобмотки:48vac; 6а

g2rv-1-s dc21 omron-ia, реле электромеханическое

g2rv-sl500 dc24 omron-ia, реле электромеханическое

g2rv-sl700 ac/dc24 omron-ia, реле электромеханическое

g2rv-sl700 ac230 omron-ia, реле электромеханическое

g2rv-sl700 dc24 omron-ia, реле электромеханическое

g2rv-1-s dc21 omron-ia

g2rv-sl500 ac230 omron-ia

g2rv-sl500 dc24 omron-ia

g2rv-sl700 ac/dc24 omron-ia

g2rv-sl700 ac230 omron-ia

g2rv-sl700 dc24 omron-ia

g2rv-1-s dc21 omron-ia

g2rv-sl500 ac230 omron-ia

g2rv-sl500 dc24 omron-ia

g2rv-sl700 ac/dc24 omron-ia

g2rv-sl700 ac230 omron-ia

g2rv-sl700 dc24 omron-ia

g2rv-1-s dc21 omron-ia, реле электромеханическое

g2rv-sl500 dc24 omron-ia, реле электромеханическое

g2rv-sl700 ac230 omron-ia, реле электромеханическое

g2rv-sl700 dc24 omron-ia, реле электромеханическое

g2rv-1-s-dc11

g2rv-1-s-dc21

g2rv-1-s-dc48

g2rv-sl500-ac/dc24

g2rv-sl500-ac/dc48

g2rv-sl500-ac110

g2rv-sl500-ac230

g2rv-sl500-dc12dc11

g2rv-sl500-dc24dc21

g2rv-sl700-ac/dc24

g2rv-sl700-ac/dc48

g2rv-sl700-ac110

g2rv-sl700-ac230

g2rv-sl700-dc12dc11

g2rv-sl700-dc24dc21

g2rvsl70024dc

r99-15 for g2rv 1pc

r99-16 for g2rv

g2rv-1-s dc21 omron-ia

g2rv-sl700 ac/dc24 omron-ia

g2rv-sl700 ac230 omron-ia

g2rv-sl700 dc24 omron-ia

g2rv1s21vdc omron

g2rv1sdc11 omron

g2rv1sdc21 omron

g2rv1sdc21byomb omron

g2rv1sdc48 omron

g2rvsl500110vac omron

g2rvsl500230vac omron

g2rvsl50024ac/dc omron

g2rvsl50024vdc omron

g2rvsl500ac/dc24 omron

g2rvsl500ac/dc48 omron

g2rvsl500ac110 omron

g2rvsl500ac230 omron

g2rvsl500dc12(dc11) omron

g2rvsl500dc24 omron

g2rvsl500dc24(dc21) omron

g2rvsl700110vac omron

g2rvsl70012vdc omron

g2rvsl700230vac omron

g2rvsl70024ac/dc omron

g2rvsl70024vac/dc omron

g2rvsl70024vdc omron

g2rvsl700ac/dc24 omron

g2rvsl700ac/dc48 omron

g2rvsl700ac110 omron

g2rvsl700ac230 omron

g2rvsl700dc12(dc11) omron

g2rvsl700dc24 omron

g2rvsl700dc24(dc21) omron

r9915forg2rv omron

r9916forg2rv omron

g2rv-1-s dc21 omron-ia, g2rvom

g2rv-1-s dc21 omron-ia

g2rv-sl500 ac230 omron-ia

g2rv-sl500 dc24 omron-ia

g2rv-sl500 dc24 omron-ia, g2rvom

g2rv-sl700 ac/dc24 omron-ia

g2rv-sl700 ac/dc24 omron-ia, g2rvom

g2rv-sl700 ac230 omron-ia, g2rvom

g2rv-sl700 ac230 omron-ia

g2rv-sl700 dc24 omron-ia

g2rv-sl700 dc24 omron-ia, g2rvom

g2rv-1-s 21vdc

g2rv-1-s dc21

g2rv-1-s-21vdc

g2rv-sl500 ac/dc24

g2rv-sl500 dc12

g2rv-sl500 dc24

g2rv-sl500-24vdc

g2rv-sl501 dc24

g2rv-sl700 ac/dc24

g2rv-sl700 ac230

g2rv-sl700 dc24

g2rv-sr500 ac/dc24

g2rv-sr500 ac/dc24 by omb

g2rv-sr500 ac230

g2rv-1-s dc11

g2rv-1-s dc21

g2rv-1-s dc48

g2rv-1-s-ap dc11

g2rv-1-s-ap dc21

g2rv-1-s-ap dc48

g2rv-1-si dc21 by omb

g2rv-1-s_dc21, реле

g2rv-sl500 ac/dc24

g2rv-sl500 ac/dc48

g2rv-sl500 ac110

g2rv-sl500 ac230

g2rv-sl500 dc12

g2rv-sl500 dc24

g2rv-sl500-ap ac/dc24

g2rv-sl500-ap ac/dc48

g2rv-sl500-ap ac110

g2rv-sl500-ap ac230

g2rv-sl500-ap dc12

g2rv-sl500-ap dc24

g2rv-sl500_ac230, реле

g2rv-sl500_dc24, реле

g2rv-sl500_dc24, тонкое (6мм) реле с цоколем, ток ба, безвинтовые клеммы, катушка 24 vdc

g2rv-sl501 ac/dc24 by omb

g2rv-sl501 dc24 by omb

g2rv-sl700 ac/dc24

g2rv-sl700 ac/dc48

g2rv-sl700 ac110

g2rv-sl700 ac230

g2rv-sl700 ac230, реле

g2rv-sl700 dc12

g2rv-sl700 dc24

g2rv-sl700 dc24, реле

g2rv-sl700-ap ac/dc24

g2rv-sl700-ap ac/dc48

g2rv-sl700-ap ac110

g2rv-sl700-ap ac230

g2rv-sl700-ap dc12

g2rv-sl700-ap dc24

g2rv-sl700_ac\dc24_by_om, тонкое (6мм) реле с цоколем, ток ба, винтовые клеммы, катушка 24 вac/dc

g2rv-sl701 ac/dc24 by omb

g2rv-sl701 dc24 by omb

g2rv-sr500 ac/dc24

g2rv-sr500 ac/dc48

g2rv-sr500 ac100

g2rv-sr500 ac110

g2rv-sr500 ac200

g2rv-sr500 ac230

g2rv-sr500 dc12

g2rv-sr500 dc24

g2rv-sr500-ap ac/dc24

g2rv-sr500-ap ac/dc48

g2rv-sr500-ap ac100

g2rv-sr500-ap ac110

g2rv-sr500-ap ac200

g2rv-sr500-ap ac230

g2rv-sr500-ap dc12

g2rv-sr500-ap dc24

g2rv-sr501 ac/dc24

g2rv-sr501 dc24

g2rv-sr700 ac/dc24

g2rv-sr700 ac/dc48

g2rv-sr700 ac100

g2rv-sr700 ac110

g2rv-sr700 ac200

g2rv-sr700 ac230

g2rv-sr700 dc12

g2rv-sr700 dc24

g2rv-sr700-ap ac/dc24

g2rv-sr700-ap ac/dc48

g2rv-sr700-ap ac100

g2rv-sr700-ap ac110

g2rv-sr700-ap ac200

g2rv-sr700-ap ac230

g2rv-sr700-ap dc12

g2rv-sr700-ap dc24

g2rv-sr701 ac/dc24

g2rv-sr701 dc24

r99-15 for g2rv(1pc=120labels)

r99-16 for g2rv(1pc=484labels)

g2rv-1-s-dc21 omron, electromechanical relay 21vdc spdt ((30.5mm 5.2mm 33mm)) tht stand alone relay
electromechanical relay 21vdc spdt(3...

g2rv-1-s-g dc11 omron

g2rv-sl500 dc24 omron, n/a relay module, spdt, 24vdc; relay type:industrial; coil voltage vdc nom:24v; contact
current max:6a; contact volt...

g2rv-sl500-ap ac/dc24 omron automation & safety, slim relay & socket

g2rv-sl500-ap ac/dc48 omron automation & safety, slim relay & socket

g2rv-sl500-dc24 (dc21) omron, electromechanical relay 24vdc 1.8kohm 6a spdt socket slim relay relay, spdt,
250vac, 30vdc, 6a

g2rv-sl700 ac/dc24 omron, electromechanical relay 24vdc 24vac 1.84kohm 6a spdt ((socket slim relay
electromechanical relay 24vdc 24vac 1.84ko...

g2rv-sl700 ac230 omron, din mount relay; series:g2rv; relay type:general purpose; coil voltage vac nom:230v; no. of
poles:1; contacts:spdt; r...

Заказ Минск тел.+375447584780 мтс email minsk17@tut.by www.fotorele.net

www.tiristor.by email minsk17@tut.by тел.+375447584780

g2rv-sl700 dc24 omron, general purpose relay, g2rv series, power, non latching, spdt, 24 vdc, 6 a relay, spdt, 250vac, 30vdc, 6a spdt 24vd...

g2rv-sl700 dc24 omron automation & safety, electromechanical relay 24vdc 1.8kohm 6a spdt socket slim relay

g2rv-sl700-24 vdc omron, electromechanical relay spdt 6a 230vac socket

g2rv-sl700-ac110 omron, din mount relay; series:g2rv; relay type:general purpose; coil voltage vac nom:110v; no. of poles:1; contacts:spdt; r...

g2rv-sl700-ap ac/dc24 omron automation & safety, slim relay & socket

g2rv-sr500-ap ac/dc48 omron, g2rv-sr500-ap ac/dc48 power relay, 48v, 6a, spdt, din rail relay gen purpose spdt 50ma 48v slim rly & skt pshin s...

g2rv-sr700 ac/dc24 omron, power relay, 24v, 6a, spdt, din rail relay gen purpose spdt 6a 24v slimline relay 6mm spdt 6 a 24v ac/dc slim rly ...

g2rv-sr700-ap ac/dc48 omron, power relay, 48v, 6a, spdt, din rail relay gen purpose spdt 50ma 48v slim rly & skt pshin slim rly & skt pshin g2r...

g2rv-sr700-ap ac230 omron, n/a power relay, 230vac, 6a, spdt, din rail relay gen purpose spdt 50 ma 230v slimline input relay 6mm spdt 50 ma ...

g2rv-sr700-ap dc24 omron, power relay, 24vdc, 6a, spdt, din rail relay gen purpose spdt 50ma 24v slimline input relay 6mm spdt 50 ma slim rl...

g2rvsl500ac230 omron automation & safety, electromechanical relay 230vac 6a spdt socket slim relay

g2rvsl500acdc24 slim relay omron automation & safety, electromechanical relay 24vdc 24vac 1.84kohm 6a spdt socket slim relay

g2rvsl500acdc48 slim relay omron automation & safety, electromechanical relay 48vdc 48vac 9.23kohm 6a spdt socket slim relay

g2rvsl500dc12dc11 omron, electromechanical relay 12vdc 441.17ohm 6a spdt socket slim relay

g2rvsl500dc24dc21 relay omron automation & safety, electromechanical relay 24vdc 1.8kohm 6a spdt socket slim relay

g2rvsl700acdc24 slim relay omron automation & safety, electromechanical relay 24vdc 24vac 1.84kohm 6a spdt socket slim relay

g2rvsl700apac230 omron automation & safety, electromechanical relay 230vac 0.05a spdt socket slim relay

g2rvsl700apdc24 relay omron automation & safety, electromechanical relay 24vdc 1.84kohm 0.05a spdt socket slim relay

g2rvsl700dc12dc11 relay omron automation & safety, electromechanical relay 12vdc 441.17ohm 6a spdt socket slim relay

g2rvsl700dc24dc21 omron, electromechanical relay 24vdc 1.8kohm 6a spdt socket slim relay gp power relay and socket gp power relay & socket ...

g2rvsl700dc24dc21 relay omron automation & safety, electromechanical relay 24vdc 1.8kohm 6a spdt socket slim relay

g2rv omron [omron electronics llc], slim relay

g2rv-1-s dc11 omron electronics inc-ecb div, relay pwr 6a 12vdc qc term серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 27.2ма · напряжение соленоида: 12vdc · контроль входного напряжения (макс): 9.6 vdc · конт

g2rv-1-s dc21 omron electronics inc-ecb div, relay pwr 6a 24vdc qc term серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 13.3ма · напряжение соленоида: 24vdc · контроль входного напряжения (макс): 19.2 vdc · кон

g2rv-1-s dc48 omron electronics inc-ecb div, relay pwr 6a 48vdc/vac qc term серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 5.2ма · напряжение соленоида: 48vdc · контроль входного напряжения (макс): 38.4 vdc ·

g2rv-1-s-11vdc omron, g2rv-1-s 11vdc miniature electromagnetic relays

g2rv-1-s-21vdc omron - industrial automation

g2rv-1-s-48vdc omron, g2rv-1-s 48vdc miniature electromagnetic relays

g2rv-1-s-ap dc11 omron automation and safety, slim relay

g2rv-1-s-ap dc11-nd omron automation and safety, slim relay

g2rv-1-s-ap dc21 omron automation and safety, slim relay

g2rv-1-s-ap dc21-nd omron automation and safety, slim relay

g2rv-1-s-ap dc48 omron automation and safety, slim relay

g2rv-1-s-ap dc48-nd omron automation and safety, slim relay

g2rv-1-s-dc11 omron, relay pwr 6a 12vdc qc term

g2rv-1-s-dc21 omron, relay pwr 6a 24vdc qc term

g2rv-1-s-dc48 omron, relay pwr 6a 48vdc/vac qc term

g2rv-sl500 omron corporation

g2rv-sl500 ac/dc24 omron electronics inc-ecb div, relay pwr spdt 6a 24vdc din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 13ма · напряжение соленоида: 24vac/dc · контроль входного напряжения (макс): 19.2 vac

g2rv-sl500 ac/dc48 omron electronics inc-ecb div, relay pwr spdt 6a 48vac/vdc серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 5.2ма · напряжение соленоида: 48vac/dc · контроль входного напряжения (макс): 38.4 vac/dc

g2rv-sl500 ac110 omron electronics inc-ecb div, relay pwr spdt 6a 110vac din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 7.1ма · напряжение соленоида: 110vac · контроль входного напряжения (макс): 88 vac ·

g2rv-sl500 ac230 omron electronics inc-ecb div, relay pwr spdt 6a 230vac din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 7.3ма · напряжение соленоида: 230vac · контроль входного напряжения (макс): 184 vac

g2rv-sl500 dc12 omron - industrial automation

g2rv-sl500 dc12 (dc11) omron electronics inc-ecb div, relay pwr spdt 6a 12vdc din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 27.2ma · напряжение соленоида: 12vdc · контроль входного напряжения (макс): 9.6 vdc ·

g2rv-sl500 dc12(dc11)omron automation and safety, промышленные реле relay & socket dc12 plug-in term

g2rv-sl500 dc24 omron - industrial automation

g2rv-sl500 dc24 (dc21) omron electronics inc-ecb div, relay pwr spdt 6a 24vdc din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 13.3ma · напряжение соленоида: 24vdc · контроль входного напряжения (макс): 19.2 vdc

g2rv-sl500 dc24(dc21)omron automation and safety, промышленные реле relay & socket dc24 plug-in term

g2rv-sl500-230 vac omron - industrial automation

g2rv-sl500-ac/dc24 omron, relay pwr spdt 6a 24vdc din skt

g2rv-sl500-ac/dc48 omron, relay pwr spdt 6a 48vac/vdc

g2rv-sl500-ac110 omron, relay pwr spdt 6a 110vac din skt

g2rv-sl500-ac230 omron, relay pwr spdt 6a 230vac din skt

g2rv-sl500-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac/dc24-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac/dc48-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac110-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac230-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc12-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc24-nd omron automation and safety, slim relay and socket

g2rv-sl500-dc12dc11 omron, relay pwr spdt 6a 12vdc din skt

g2rv-sl500-dc24 (dc21) omron industrial automation, power relay, spdt, 24vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:24vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rv-sl500-dc24dc21 omron, relay pwr spdt 6a 24vdc din skt

g2rv-sl50024vdc omron - industrial automation

g2rv-sl700 230vac omron - industrial automation

g2rv-sl700 ac/dc24 omron electronics inc-ecb div, relay pwr 6a 24vac w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 13ma · напряжение соленоида: 24vac/dc · контроль входного напряжения (макс): 19.2 vac/dc

g2rv-sl700 ac/dc48 omron electronics inc-ecb div, relay pwr 6a 48vdc/vac w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 5.2ma · напряжение соленоида: 48vac/dc · контроль входного напряжения (макс): 38.4 v

g2rv-sl700 ac110 omron electronics inc-ecb div, relay pwr 6a 110vac w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 7.1ma · напряжение соленоида: 110vac · контроль входного напряжения (макс): 88 vac · ко

g2rv-sl700 ac230 omron electronics inc-ecb div, relay pwr 6a 230vac w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 7.3ma · напряжение соленоида: 230vac · контроль входного напряжения (макс): 184 vac · к

g2rv-sl700 dc12 (dc11) omron electronics inc-ecb div, relay pwr 6a 12vdc w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 27.2ma · напряжение соленоида: 12vdc · контроль входного напряжения (макс): 9.6 vdc · ко

g2rv-sl700 dc12(dc11)omron automation and safety, промышленные реле 6a 12vdc relay and socket

g2rv-sl700 dc24 omron - industrial automation

g2rv-sl700 dc24 (dc21) omron electronics inc-ecb div, relay pwr 6a 24vdc w/din skt серия: g2rv · тип реле: general purpose · каналы: spdt (1 form c) · ток @ напряжение: 6a @ 30vdc · тип катушки: стандарт · ток соленоида: 13.3ma · напряжение соленоида: 24vdc · контроль входного напряжения (макс): 19.2 vdc · к

g2rv-sl700 dc24(dc21)omron automation and safety, промышленные реле 6a 24vdc relay and socket

g2rv-sl700-24 vac/dc omron - industrial automation

g2rv-sl700-ac/dc24 omron, relay pwr 6a 24vac w/din skt

g2rv-sl700-ac/dc48 omron, relay pwr 6a 48vdc/vac w/din skt

g2rv-sl700-ac110 omron, relay pwr 6a 110vac w/din skt

g2rv-sl700-ac230 omron, relay pwr 6a 230vac w/din skt

g2rv-sl700-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc24-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc48-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac110-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac230-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap dc12-nd omron automation and safety, slim relay and socket
g2rv-sl700-ap dc24 omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap dc24-nd omron automation and safety, slim relay and socket
g2rv-sl700-dc12 omron corporation
g2rv-sl700-dc12dc11 omron, relay pwr 6a 12vdc w/din skt
g2rv-sl700-dc24 omron corporation
g2rv-sl700-dc24dc21 omron, relay pwr 6a 24vdc w/din skt
g2rv-sl70024vdc omron - industrial automation
g2rv1sdc21 omron corporation
g2rvsl500110ac omron, g2rv-sl500 110vac electromagnetic relays - sets
g2rvsl50012dc omron, g2rv-sl500 12vdc electromagnetic relays - sets
g2rvsl500230ac omron, g2rv-sl500 230vac electromagnetic relays - sets
g2rvsl50024acdc omron, g2rv-sl500 24vac/dc electromagnetic relays - sets
g2rvsl50024dc omron, g2rv-sl500 24vdc electromagnetic relays - sets
g2rvsl50048acdc omron, g2rv-sl500 48vac/dc electromagnetic relays - sets
g2rvsl500ac110 omron corporation
g2rvsl500ac230 omron corporation
g2rvsl500acdc24 omron corporation
g2rvsl500acdc48 omron corporation
g2rvsl501acdc24 omron, g2rv-sl501-ac/dc24 electromagnetic relays - sets
g2rvsl700110ac omron, g2rv-sl700 110vac electromagnetic relays - sets
g2rvsl70012dc omron, g2rv-sl700 12vdc electromagnetic relays - sets
g2rvsl700230ac omron, g2rv-sl700 230vac electromagnetic relays - sets
g2rvsl70024acdc omron, g2rv-sl700 24vac/dc electromagnetic relays - sets
g2rvsl70024dc omr, industrie-relais, 24vdc
g2rvsl70048acdc omron, g2rv-sl700 48vac/dc electromagnetic relays - sets
g2rvsl700ac110 omron corporation
g2rvsl700ac230 omron corporation
g2rvsl700acdc24 omron corporation
g2rvsl700acdc48 omron corporation

g2rvsl700dc12dc11 omron industrial automation, power relay, spdt, 12vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:12vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rvsl700dc24dc21 omron industrial automation, power relay, spdt, 24vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:24vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rvsl701acdc24 omron, g2rv-sl701-ac/dc24 electromagnetic relays - sets

r99-15 for g2rv 1pc omron, панели для реле и оборудование 1 sheet of 120 plast tic labels

r99-15 for g2rv 1pc-nd omron automation and safety, label sheet adhesive for g2rv

r99-15 for g2rv [1 pc = 120 la omron - industrial automation

r99-16 for g2rv omron electronics inc-ecb div, label sheet adhesive for g2rv применение: labels

g2rv omron [omron electronics llc], slim rela

g2rv-1-s dc11 omron automation and safety, промышленные реле 6a 11vdc relay only

g2rv-1-s dc21 omron - industrial automation, промышленные реле 6a 21vdc relay only

g2rv-1-s dc48 omron - industrial automation, промышленные реле 6a 48vdc relay only

g2rv-1-s-11vdc omron, g2rv-1-s 11vdc miniature electromagnetic relays

g2rv-1-s-21vdc omron - industrial automation

g2rv-1-s-48vdc omron, g2rv-1-s 48vdc miniature electromagnetic relays

g2rv-1-s-ap dc11 omron automation and safety, slim relay

g2rv-1-s-ap dc11-nd omron automation and safety, slim relay

g2rv-1-s-ap dc21 omron automation and safety, slim relay

g2rv-1-s-ap dc21-nd omron automation and safety, slim relay

g2rv-1-s-ap dc48 omron automation and safety, slim relay

g2rv-1-s-ap dc48-nd omron automation and safety, slim relay

g2rv-1-s-dc11 omron industrial automation, power relay, spdt, 12vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:12vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rv-1-s-dc21 omron industrial automation, power relay, spdt, 30vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:30vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rv-1-s-dc48 omron industrial automation, power relay, spdt, 48vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:48vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rv-sl500 omron corporation

g2rv-sl500 ac/dc24 omron - industrial automation, промышленные реле relay & socket ac/dc24 plug-in term

g2rv-sl500 ac/dc48 omron automation and safety, промышленные реле relay & socket ac/dc48 plug-in term

g2rv-sl500 ac110 omron automation and safety, промышленные реле relay & socket ac110 plug-in term

g2rv-sl500 ac230 omron - industrial automation, промышленные реле relay & socket ac230 plug-in term

g2rv-sl500 dc12 omron - industrial automation

g2rv-sl500 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sl500 dc12(dc11) omron automation and safety, промышленные реле relay & socket dc12 plug-in term

g2rv-sl500 dc24 omron - industrial automation

g2rv-sl500 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl500 dc24(dc21) omron automation and safety, промышленные реле relay & socket dc24 plug-in term

g2rv-sl500-230 vac omron - industrial automation

g2rv-sl500-ac/dc24 omron industrial automation, power relay, spdt, 24vac/dc, 6a, plug in; product range:omron - g2rv series; coil voltage:24v; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil r

g2rv-sl500-ac/dc48 omron industrial automation, power relay, spdt, 48vac/dc, 6a, plug in; product range:omron - g2rv series; coil voltage:48v; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil r

g2rv-sl500-ac110 omron industrial automation, power relay, spdt, 110vac, 6a, plug in; product range:omron - g2rv series; coil voltage:110vac; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil

g2rv-sl500-ac230 omron industrial automation, power relay, spdt, 230vac, 6a, plug in; product range:omron - g2rv series; coil voltage:230vac; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil

g2rv-sl500-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac/dc24-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac/dc48-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac110-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap ac230-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap dc12 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc12-nd omron automation and safety, slim relay and socket

g2rv-sl500-ap dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl500-ap dc24-nd omron automation and safety, slim relay and socket

g2rv-sl500-dc12dc11 omron industrial automation, power relay, spdt, 12vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:12vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rv-sl500-dc24 (dc21) omron industrial automation, power relay, spdt, 24vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:24vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rv-sl500-dc24dc21 omron, relay pwr spdt 6a 24vdc din skt

g2rv-sl50024vdc omron - industrial automation

g2rv-sl700 230vac omron - industrial automation

g2rv-sl700 ac/dc24 omron - industrial automation

g2rv-sl700 ac/dc48 omron - industrial automation

g2rv-sl700 ac110 omron - industrial automation

g2rv-sl700 ac230 omron - industrial automation, промышленные реле relay module spdt 230vac

g2rv-sl700 dc12 (dc11) omron automation and safety, relay gen purpose spdt 6a 12v

g2rv-sl700 dc12(dc11)omron automation and safety, промышленные реле 6a 12vdc relay and socket

g2rv-sl700 dc24 omron - industrial automation

g2rv-sl700 dc24 (dc21) omron automation and safety, relay gen purpose spdt 6a 24v

g2rv-sl700 dc24(dc21)omron automation and safety, промышленные реле 6a 24vdc relay and socket

g2rv-sl700-24 vac/dc omron - industrial automation

g2rv-sl700-ac/dc24 omron automation and safety, промышленные реле 6a 24vac/dc relay and socket

g2rv-sl700-ac/dc48 omron automation and safety, промышленные реле 6a 48vac/dc relay and socket

g2rv-sl700-ac110 omron automation and safety, промышленные реле 6a 110vac relay and socket

g2rv-sl700-ac230 omron industrial automation, power relay, spdt, 230vac, 6a, plug in; product range:omron - g2rv series; coil voltage:230vac; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil

g2rv-sl700-ap ac/dc24 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc24-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap ac/dc48 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac/dc48-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap ac110 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac110-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap ac230 omron automation and safety, реле общего назначения slim relay & socket

g2rv-sl700-ap ac230-nd omron automation and safety, slim relay and socket

g2rv-sl700-ap dc12 omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap dc12-nd omron automation and safety, slim relay and socket
g2rv-sl700-ap dc24 omron automation and safety, реле общего назначения slim relay & socket
g2rv-sl700-ap dc24-nd omron automation and safety, slim relay and socket
g2rv-sl700-dc12 omron corporation
g2rv-sl700-dc12dc11 omron, relay pwr 6a 12vdc w/din skt
g2rv-sl700-dc24 omron corporation
g2rv-sl700-dc24dc21 omron, relay pwr 6a 24vdc w/din skt
g2rv-sl70024vdc omron - industrial automation
g2rv1sdc21 omron corporation
g2rvsl500110ac omron, g2rv-sl500 110vac electromagnetic relays - sets
g2rvsl50012dc omron, g2rv-sl500 12vdc electromagnetic relays - sets
g2rvsl500230ac omron, g2rv-sl500 230vac electromagnetic relays - sets
g2rvsl50024acdc omron, g2rv-sl500 24vac/dc electromagnetic relays - sets
g2rvsl50024dc omron, g2rv-sl500 24vdc electromagnetic relays - sets
g2rvsl50048acdc omron, g2rv-sl500 48vac/dc electromagnetic relays - sets
g2rvsl500ac110 omron corporation
g2rvsl500ac230 omron corporation
g2rvsl500acdc24 omron corporation
g2rvsl500acdc48 omron corporation
g2rvsl501acdc24 omron, g2rv-sl501-ac/dc24 electromagnetic relays - sets
g2rvsl700110ac omron, g2rv-sl700 110vac electromagnetic relays - sets
g2rvsl70012dc omron, g2rv-sl700 12vdc electromagnetic relays - sets
g2rvsl700230ac omron, g2rv-sl700 230vac electromagnetic relays - sets
g2rvsl70024acdc omron, g2rv-sl700 24vac/dc electromagnetic relays - sets
g2rvsl70024dc omron, g2rv-sl700 24vdc electromagnetic relays - sets
g2rvsl70048acdc omron, g2rv-sl700 48vac/dc electromagnetic relays - sets
g2rvsl700ac110 omron corporation
g2rvsl700ac230 omron corporation
g2rvsl700acdc24 omron corporation
g2rvsl700acdc48 omron corporation

g2rvsl700dc12dc11 omron industrial automation, power relay, spdt, 12vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:12vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rvsl700dc24dc21 omron industrial automation, power relay, spdt, 24vdc, 6a, plug in; product range:omron - g2rv series; coil voltage:24vdc; contact current:6a; contact voltage vac:250v; contact voltage vdc:30v; contact configuration:spdt; coil re

g2rvsl701acdc24 omron, g2rv-sl701-ac/dc24 electromagnetic relays - sets

r99-15 for g2rv 1pc omron automation and safety, панели для реле и оборудование 1 sheet of 120 plastic labels

r99-15 for g2rv 1pc-nd omron automation and safety, label sheet adhesive for g2rv

r99-15 for g2rv [1 pc = 120 la omron - industrial automation

r99-16 for g2rv omron automation and safety, панели для реле и оборудование 10 sheets (484 per)

г. Минск www.fotorele.net www.tiristor.by email minsk17@tut.by тел. +375447584780